2022/05/15 19:21 1/59 Report

# Report



## Author(s)

- Alina Röhe
- Rose-Farah Blomme
- Thomas Hidding
- Zoé Domissy
- Zuzanna Marta Dylik

# **Acknowledgement**

# **Glossary**

Abbreviati	on Description
°C	Celsius
AV	Actual Value
CE	Common Era
CFI	Corporate Finance Institute
cm	centimeter
CMYK	Cyan Magenta Yellow Black
CO2	Carbon Dioxide
COPI	Control of Patient Information
DC	Direct Current
EC	European Commission
EEPROM	Electronically Erasable Programmable Read only Memory
EPS	European Project Semester
EU	European Union
EV	Earned Value
EVM	Earned Value Management
g	Gramm
GPIO	General Purpose Input/Output
I/O	Input/Output
ISEP	Instituto Superior de Engenharia do Porto
kB	Kilobyte
LA	Leak Alarm
LED	Light Emitting Diode
m	Metre
mA	Miliampere
MAX	MAximum
MB	Megabyte
MHz	Megahertz
mm	Milimetre
ms	Miliseconds
NSPE	National Society of Professional Engineers
OE	Order of Engineers
PESTLE	Political Economic Social Technological Environmental Legal
PHY	Physical Layer
PIO	Public Information Office
PWM	Pulse-width Modulation
QSPI	Queued Serial Peripheral Interface
RPM	Revolutions Per Minute
RX	Receive
SCL	Spam Confidence Level
SDA	Serial Data Line
SPI	Serial Peripheral Interface

2022/05/15 19:21 3/59 Report

<b>Abbreviation</b>	Description
SRAM	Static Random Access Memory
SWOT	Strengths Weaknesses Opportunities Threats
TX	Transmit
TX	Transmit
UART	Universal Asynchronous Receiver Transmitter
USB	Universal Serial Bus
V	Voltage
W	Watt
WBS	Work Breakdown Structure

# 1. Introduction

This report describes all the steps that reflect the work and research done by Team 4 for the European Project Semester at Instituto Superior de Engenharia do Porto. EPS is a project during the second semester of 2022. This project gives the students a chance to create a product-system in a multidisciplinary group and hopes to foster the kind of team-working skills sought after by employers.

#### 1.1 Presentation

The team consists of five international students with various backgrounds. These five students combine their knowledge and skills to come up with a solution that demonstrates the symbiosis between fish and algae. The personal information of the different team members can be found in Table 1 below.

Table 1: Team Members

Name	Field of Study	Country
Alina Röhe	Mechanical Engineering	Germany
Rose-Farah Blomme	Product Development	Belgium
Thomas Hidding	Chemical Technology	The Netherlands
Zoé Domissy	Packaging Engineering	France
Zuzanna Marta Dylik	Civil Engineering	Poland

#### 1.2 Motivation

The motivation to participate in the European Project Semester for the team members can be found in several factors. The most obvious and already mentioned is the opportunity to step out of our comfort zone and participate in a group work with students from very diverse fields. This provides a nuanced experience. We hope that collaborating with members of different cultures and disciplines can provide us with new insights and ways of working, but also helps us on a social level. Not only is the

groupwork a new experience, but the project is also based on a topic that is completely new to all of us. With this semester we can learn from a new culture, language and environment to provide us with a broader view on our society and possibly even on our own home environment. Besides all these new experiences and adventures, we have also chosen EPS to improve our English.

At the end of this semester, we hope to be able to present a product that demonstrates the symbiosis between fish and algae in order to contribute to the new environmental future.

#### 1.3 Problem

The growth of population causes a lot of problems for planet Earth. We are already using way more natural resources than the Earth can replenish. This also includes the demand of food which is growing with peoples' needs. The consumption is unimaginably high, that is why it is so important to focus on finding solutions for sustainable ways of getting supplies that we need without causing any more damage [T. Nace, 2017]. Combining algae and fish for farming purposes allows to replenish the food supplies faster than the ocean can produce. However, it is important to remember that not all of the fish farms run in a sustainable way. A lot of them cause environmental damage: they consist of huge amounts of fish concentrated in one small area and when these fish excrete waste or die, they are polluting the surrounding waters [B. Shields, 2017]. It should be mentioned, that lots of fish farms do not care about the quality of food that is used for fish. Most of them are loaded with pesticides and other chemicals just to make them grow faster or achieve more effective results [B., Henkelmann M. Freitas Rebelo O. Malm J.P. Machado Torres D. Botaro, K.W. Schramm, **2011]**. Moreover, wild fish also suffer from pesticides that are located in food that is used for fish in farms. Studies show that wild fish that are continuously feeding on leftover of pellets near fish farms, may be vulnerable to organophosphorus pesticides [M. Sanden F. Yadetie O.A. Karlsen A. Goksøyr M.H.G. Berntssen A.K. Larsen P.A. Olsvik, T. Kristensen, 2019].

The combination of algae and fish farming is supposed to prevent the long supply chains with unknown food origins. Fish provide algae with nutrients that they need to grow. We use the algae to produce food. Algae on the other hand, filter the water so fish stay alive. Our goal is to focus on algae as a source of food and not to harm fish. Both algae and fish farms are supposed to ensure nutritional provisions as they are loaded with proteins, omega-3 fatty acids and other nutrients. Studies show that the main source of all the nutrients and omega-3 oils that help our brains to function better can come directly from algae, without including fish in this food chain [Y. Li F. Vernen M. Timmins D. K. Lim T. C. Adarme-Vega, P.M. Schenk, 2012]. Algae oils may provide a great plant-based alternative. These are the factors we want to include in our project, sustainability is one main ones.

The growth of population causes a lot of problems for planet Earth. We are already using way more natural resources than the Earth can replenish. This also includes the demand of food which is growing with peoples' needs. The consumption is unimaginably high, that is why it is so important to focus on finding solutions for sustainable ways of getting supplies that we need without causing any more damage [T. Nace, 2017].

Combining algae and fish for farming purposes allows to replenish the food supplies faster than the ocean can produce. However, it is important to remember that not all of the fish farms run in a sustainable way. A lot of them cause environmental damage: they consist of huge amounts of fish concentrated in one small area and when these fish excrete waste or die, they are polluting the surrounding waters [B. Shields, 2017]. It should be mentioned, that lots of fish farms do not care about the quality of food that is used for fish. Most of them are loaded with pesticides and other

2022/05/15 19:21 5/59 Report

chemicals just to make them grow faster or achieve more effective results [B., Henkelmann M. Freitas Rebelo O. Malm J.P. Machado Torres D. Botaro, K.W. Schramm, 2011]. Moreover, wild fish also suffer from pesticides that are located in food that is used for fish in farms. Studies show that wild fish that are continuously feeding on leftover of pellets near fish farms, may be vulnerable to organophosphorus pesticides [M. Sanden F. Yadetie O.A. Karlsen A. Goksøyr M.H.G. Berntssen A.K. Larsen P.A. Olsvik, T. Kristensen, 2019].

The combination of algae and fish farming is supposed to prevent the long supply chains with unknown food origins. Fish provide algae with nutrients that they need to grow. We use the algae to produce food. Algae on the other hand, filter the water so fish stay alive. Our goal is to focus on algae as a source of food and not to harm fish. Both algae and fish farms are supposed to ensure nutritional provisions as they are loaded with proteins, omega-3 fatty acids and other nutrients. Studies show that the main source of all the nutrients and omega-3 oils that help our brains to function better can come directly from algae, without including fish in this food chain [Y. Li F. Vernen M. Timmins D. K. Lim T. C. Adarme-Vega, P.M. Schenk, 2012]. Algae oils may provide a great plant-based alternative. These are the factors we want to include in our project, sustainability is one main ones.

# 1.4 Objectives

The main goal of this project is to develop a system and product that include a symbiosis between fish and algae. This includes design, prototyping and testing. These different stages each have their own goal that we want to achieve within this project. The design of the aquaponic must include modularity, smartification, sustainability and value. Next to the design, there is also the construction of the product, which requires the use of sustainable materials and a proper construction so that each organism of the process has a safe environment. Finally, there is testing, which will hopefully result in a working prototype from the process.

# 1.5 Requirements

Project requirements:

- Maximum budget of 100 €
- Low-cost hardware solution
- Mandatory adoption of the International System of Units
- open-source software and technologies

Standard requirements: comply with the EU directives

- Machine Directive (2006/42/CE 2006-05-17)
- Electromagnetic Compatibility Directive (2004/108/EC 2004 12 15)
- Low Voltage Directive (2014/35/EU 2016-04-20)
- Radio Equipment Directive (2014/53/EU 2014-04-16)
- Restriction of Hazardous Substances (ROHS) in Electrical and Electronic Equipment Directive (2002/95/EC 2003-01-27)

Functional requirements:

- Last update: 2022/05/15 19:11
  - Sustainable materials
  - Recyclable components.
  - Efficient to maintain
  - · Easy installation
  - Modularity (multiple configurations, sizes, possible to to replace individual parts)

#### 1.6 Functional Tests

# 1.7 Project Planning

Project Planning is developed according to Agile and Scrum methodologies (Figure 1). With this method, the multitude of activities and steps in a project can be well divided and handled in different design sprints. The team will create a forced ranked project backlog. This is a list of tasks that need to be completed during the project. These are ranked by priority (pulling forward critical phases). The team will decide for a certain time period to finish these tasks. This is considered the sprint plan. Per sprint you have sprint backlogs, consisting of backlog tasks which must be included in the project during that particular sprint. Sprint backlogs are translated into sprint tasks. These sprint tasks describe how the items should be processed in the design. By working with sprints and specific backlogs it becomes clear what is included and what is not (avoiding scope creep). In order to keep track of each other's tasks and completed activities, we have chosen to work with Microsoft planner. This allows each group member to view and update his or her own tasks in an efficient manner. This can be seen in Figure 2. The SCRUM team meets regularly in between. They have a team meeting every day in which each team member tells what he/she is doing and will be doing. During the retrospective meetings, the team discusses how the previous sprint went and how they can improve their teamwork.




Figure 1: Scrum Process

2022/05/15 19:21 7/59 Report




Figure 2: Microsoft Planner model, sprint plan n°5

# 1.8 Report Structure

The eight main chapters of the report all listed below in Table 2, with a brief description of the contents of each chapter.

Table 2: Time response

	Chapters	Description
1	Introduction	In this first chapter, the team members are presented and there is a first introduction to the project. Specifically, the problem definition, what we want to achieve and what resources we would need to do so.
2	State of Art	This section contains our research. All the background information that explores the different areas in which we could go forward with our project and the possibilities that are involved.
3	Project Management	A summary of the use of SCRUM and Agile management throughout this project.
4	Marketing Plan	Reflects the research of the market in which our product would up be positioned / sold, the target group we want to focus on and the strategy we could use when implementing our product in the market.
5	Eco-efficiency Measures for Sustainability	The fifth chapter is an analysis of the impact that our product could have on an ecological, economic and social level, in order to make our product as sustainable as possible.
6	Ethical and Deontological Concerns	This chapter also analyses the various ethical challenges associated with our product and the possible solutions to them.
7	Project Development	It shows everything that is closely related to the product. The different concepts and the related sketches, the product architecture of the final concept, the items to be developed, materials to be used Etc.
8	Conclusions	A summary of the document and of the work we have done, together with possible future plans regarding our product.

# 2. State of the Art

Last update: 2022/05/15 19:11

#### 2.1 Introduction

It is not possible to delve deeper into this topic and the organisms involved until it is clear what exactly a symbiosis is. A symbiosis is an umbrella term for various relationships between two or more individuals of different species. This can have benefits for the parties involved, but in some forms this relationship has a negative effect on one of the two or no effect at all [John R. Meyer, 2013]. The form of symbiosis that will be explored and utilized in this project is mutualism. This is an interaction between two symbionts in which both organisms experience benefits or even have some need for this relationship [J. Bascompte, 2019]. One component in this case is the fish, which provide nutrients with their excretions. These nutrients can be used for the growth of the algae. The algae, in turn, provide filtration of the water, which serves as the basis of life for the fish. Hence, a great advantage is the saving of necessary energy and resources which are normally required to supply the individual components of the system. To create a system that is as sustainable and efficient as possible, a fundamental analysis of the existing systems was therefore carried out. In addition, already existing market products are examined and placed in an overview. This allows us to analyse and compare what already exists. The various end products with harvested algae as starting point, are further analysed. The aim is to gather insights and retrieve input that helps us find the direction in which we will develop our product. Research into algae has become much more important in recent years because of their versatile components. Accordingly, the number of operational areas has increased significantly. Hence, the number of areas of application has also increased. This results in a wide range of applications for the use of algae grown in the symbiotic system.

# 2.2 Fish Farming

The world's population grows, which means the demand for food increases. In this case the attention goes to seafood. The commercial fish aquaculture becomes increasingly popular as the fish stocks are declining in developed and still developing countries. Caged fish farming releases uneaten fish feeds, faeces, and soluble fish wastes into the environment. Feeds are usually made of dry pellets or another, smaller types of fish, which have less value. They sink in the water column, settle on the seafloor, and are decomposed by bacteria and converted into dissolved organic matter and then demineralized into inorganic nutrients. These nutrients from fish excretion can cause phytoplankton growth. The consequence of that fact are the changes in phytoplankton biomass, algal blooms, phytoplankton species composition. What is more, fish excrete nutrients such as ammonium and urea directly into the water, that is what makes them so important in the nutrient cycling. Exposure of nutrients depends on hydrodynamics, stratification, and sediment-water exchange.

The diagram of operation is presented in the Figure 3 below [Paul J. K. Yin, P.J. Harrison, 2014].

2022/05/15 19:21 9/59 Report




Figure 3: Diagram of circulation Process

#### 2.2.1 Nutrients

Figure 4 shows nutrients excreted by the fish in Nile Tilapia ponds during the fish removal process at intensive fish farming sites in the Western region of Paraná State in Brazil. This research however is not based on intensive fish farming and therefore the values in Figure 4 can only be used as an indication of which nutrients are released by fish in water with their respective ratio [P.A. Piana A. Gentelini B. Coldebella, P.F. Coldebella, 2017].

Parameter		Sm	all			Med	lium			Lai	rge		
Parameter	C1	C2	C3	C4	C1	C2	C3	C4	C1	C2	C3	C4	VPM
CaCO <sub>3</sub> (mg/L)	$11.9 \pm 4.87$	$12.08 \pm 4.04$	$13.13 \pm 3.47$	$15.63 \pm 9.03$	$26.00 \pm 9.70$	$20.50 \pm 6.14$	$21.00 \pm 4.24$	$26.25 \pm 6.70$	$17.20 \pm 10.37$	$17.68 \pm 9.23$	$17.6 \pm 8.64$	$18.75 \pm 6.50$	-
TH (mg/L)	$9.60 \pm 1.99$	$10.35 \pm 1.81$	$16.75 \pm 4.99$	$19.75 \pm 7.27$	$21.80 \pm 9.15$	$20.00 \pm 7.83$	$19.30 \pm 7.23$	$23.00 \pm 7.07$	$18.75 \pm 7.63$	$19.25 \pm 7.50$	$18.75 \pm 7.41$	$18.25 \pm 10.40$	-
BOD (mg/L)	$6.98 \pm 2.95$	$7.48 \pm 3.83$	$11.93 \pm 1.72$	$12.00 \pm 1.41$	$27.03 \pm 17.48$	$33.55 \pm 26.04$	$49.2 \pm 33.26$	$38.75 \pm 15.39$	$23.9 \pm 13.15$	$29.75 \pm 14.08$	$28.0 \pm 12.91$	$27.75 \pm 12.28$	-
COD (mg/L)	$19.25 \pm 5.50$	$23.75 \pm 17.17$	$44.50 \pm 3.32$	$48.25 \pm 6.02$	$54.25 \pm 23.34$	$68.50 \pm 39.87$	$85.25 \pm 36.86$	$104.7 \pm 47.0$	$44.75 \pm 16.46$	$50.25 \pm 21.53$	$59.5 \pm 27.69$	$80.00 \pm 21.92$	-
COD/BOD	2.76	3.18	3.73	4.02	2.01	2.04	1.73	2.70	1.87	1.69	2.13	2.88	-
TP (mg/L)	$0.26 \pm 0.11$	$0.39 \pm 0.11$	$2.06 \pm 1.78$	$3.67 \pm 4.92$	$0.59 \pm 0.20$	$1.22 \pm 0.82$	$2.20 \pm 1.21$	$8.56 \pm 8.54$	$0.56 \pm 0.29$	$0.68 \pm 0.37$	$1.07 \pm 0.74$	$1.30 \pm 0.31$	0.5
PO <sub>4</sub> (mg/L)	$0.027 \pm 0.03$	$0.02 \pm 0.01$	$0.01 \pm 0.00$	$0.03 \pm 0.03$	$0.03 \pm 0.04$	$0.02 \pm 0.02$	$0.01 \pm 0.01$	$0.07 \pm 0.10$	$0.01 \pm 0.01$	$0.02 \pm 0.02$	$0.01 \pm 0.01$	$0.02 \pm 0.01$	-
$NO_3^-$ (mg/L)	$0.49 \pm 0.16$	$0.40 \pm 0.08$	$0.42 \pm 0.15$	$0.36 \pm 0.21$	$0.54 \pm 0.21$	$0.99 \pm 0.78$	$0.79 \pm 0.61$	$0.47 \pm 0.41$	$1.22 \pm 1.06$	$1.18 \pm 0.82$	$1.01 \pm 0.79$	$0.47 \pm 0.53$	10
$NO_2^-$ (mg/L)	$0.03 \pm 0.02$	$0.21 \pm 0.19$	$0.03 \pm 0.02$	$0.04 \pm 0.03$	$0.46 \pm 0.34$	$0.45 \pm 0.41$	$0.43 \pm 0.37$	$0.19 \pm 0.14$	$0.24 \pm 0.23$	$0.25 \pm 0.15$	$0.21 \pm 0.24$	$0.20 \pm 0.26$	1
$NH_3 (mg/L)$	$0.55 \pm 0.49$	$0.82 \pm 0.47$	$1.03 \pm 0.36$	$1.06 \pm 0.71$	$2.00 \pm 1.10$	$2.12 \pm 1.20$	$2.49 \pm 1.37$	$3.23 \pm 1.79$	$1.04 \pm 1.22$	$1.08 \pm 1.00$	$1.09 \pm 1.10$	$1.78 \pm 0.70$	20
TN (mg/L)	$2.08 \pm 1.14$	$2.48 \pm 0.99$	$5.18 \pm 2.90$	$9.25 \pm 11.87$	$5.10 \pm 1.28$	$6.98 \pm 2.83$	$9.08 \pm 2.40$	$24.68 \pm 16.91$	$4.68 \pm 1.61$	$5.05 \pm 1.31$	$6.30 \pm 2.16$	$6.25 \pm 1.85$	-
SES (mL/L)	$0.33 \pm 0.17$	$0.38 \pm 0.13$	$1.93 \pm 0.26$	$1.83 \pm 0.85$	$0.45 \pm 0.44$	$0.90 \pm 1.40$	$3.18 \pm 3.19$	$26.05 \pm 29.43$	$0.20 \pm 0.20$	$0.58 \pm 0.59$	$1.90 \pm 1.61$	$3.23 \pm 1.87$	1
SS (mg/L)	$27.00 \pm 1.51$	$48.75 \pm 20.29$	$257.0 \pm 50.28$	$238.3 \pm 66.0$	$66.75 \pm 34.70$	$201.5 \pm 162.9$	$382.0 \pm 202.0$	$690.1 \pm 247.5$	$67.75 \pm 24.32$	$119.25 \pm 52.6$	$337.7 \pm 282.2$	$337.5 \pm 141.5$	
TS (mg/L)	$66.75 \pm 21.08$	$88.75 \pm 38.74$	$302.0 \pm 41.74$	$288.0 \pm 51.63$	$119 \pm 40.96$	$249 \pm 170.24$	$440 \pm 216.03$	$788.0 \pm 270.1$	$114.25 \pm 42.2$	$186.5 \pm 60.18$	$403 \pm 282.82$	$404.5 \pm 134.7$	-
TDS (mgL)	$22.5 \pm 5.00$	$46.25 \pm 21.75$	$76.25 \pm 16.01$	$57.5 \pm 5.00$	$40.00 \pm 16.83$	$40.0 \pm 14.72$	$58.75 \pm 21.75$	$66.25 \pm 8.54$	$40.00 \pm 10.80$	$51.25 \pm 25.94$	$61.25 \pm 23.58$	$45.00 \pm 9.13$	500
DO (mg/L)	$7.07 \pm 0.96$	$5.40 \pm 0.98$	$1.64 \pm 0.32$	$0.86 \pm 0.74$	$6.36 \pm 2.80$	$4.72 \pm 0.72$	$2.99 \pm 1.81$	$1.31 \pm 1.27$	$7.38 \pm 3.09$	$6.08 \pm 2.40$	$3.17 \pm 0.79$	$1.97 \pm 2.48$	≥5
DO%	$92.37 \pm 5.63$	$60.53 \pm 7.78$	$18.00 \pm 3.70$	$10.5 \pm 10.47$	$76.60 \pm 29.57$	$54.55 \pm 9.29$	$33.76 \pm 20.27$	$14.18 \pm 14.19$	$90.38 \pm 27.37$	$70.48 \pm 29.69$	$37.38 \pm 10.22$	$22.23 \pm 27.57$	-
EC (µ.S/cm)	$50.0 \pm 10.0$	$93.75 \pm 48.02$	$152.5 \pm 27.54$	$118.75 \pm 8.54$	$82.50 \pm 32.27$	$82.50 \pm 27.84$	$117.5 \pm 42.52$	$133.8 \pm 14.4$	$8.25 \pm 25.29$	$105 \pm 50.50$	$123.75 \pm 49.6$	$91.25 \pm 20.16$	-
pH	$6.96 \pm 0.40$	$6.81 \pm 0.55$	$6.35 \pm 0.12$	$6.29 \pm 0.12$	$6.89 \pm 0.28$	$6.74 \pm 0.11$	$6.63 \pm 0.23$	$6.59 \pm 0.20$	$6.79 \pm 0.21$	$6.50 \pm 0.37$	$6.43 \pm 0.37$	$6.34 \pm 0.21$	5-
T °C ef 2	$25.50 \pm 2.89$	$15.50 \pm 1.45$	$18.00 \pm 5.35$	$22.88 \pm 8.19$	$23.75 \pm 4.57$	$15.50 \pm 1.73$	$14.50 \pm 1.73$	$18.25 \pm 4.57$	$24.25 \pm 2.22$	$18.00 \pm 2.58$	$16.75 \pm 0.96$	$26.75 \pm 6.65$	-
T °C ar 3	$21.70 \pm 1.96$	$19.25 \pm 0.55$	$18.55 \pm 2.74$	$21.33 \pm 5.81$	$21.83 \pm 3.25$	$20.33 \pm 1.25$	$19.90 \pm 1.07$	$19.18 \pm 1.14$	$21.60 \pm 1.74$	$21.78 \pm 1.70$	$21.68 \pm 1.80$	$24.50 \pm 5.13$	-

Figure 4: Nutrients Excreted by Fish

430/2011 Resolution [29] for the discharge of effluents in Class 2 rivers. <sup>2</sup> T °C ef: effluent temperature; <sup>3</sup> T °C air: air temperature.

#### 2.2.2 Scale

Depending on the scale of the process, there are numerous solutions to create a fish farm. To decide which solution is the best the following needs to be defined:

- The target markets
  - Companies
  - Schools
  - Restaurants
  - Own needs

- Size of the container
  - Tank (Companies)
  - Concrete cistern (Companies)
  - Glass aquarium (Home / School / Restaurant)
- Type of water
  - Salty water
  - Fresh water
- Type of fish
  - Industrial
  - Ornamental
- Type of space
  - Indoor
  - Outdoor

### 2.2.3 Algae-eating fish types

Algae are plants and thrive in environments rich in water, light, and nutrients. This makes aquariums a perfect breeding ground. A huge amount of light and nutrients in the water will cause algae to grow rapidly [K. Claussen, 2021]. Multiple things can be done to prevent or rectify an algae overgrowth situation: reducing light, feed less to decrease the phosphate level, change the water regularly, keep living plants or keep algae-eating fish [S. Sharpe, 2020]. There are various types of fish that can be used for this purpose.

Table 2 shows the various types of fresh water fish that can be used for this purpose.

Table 2: Algae eating fish

Common name	Origin	Life expectancy (years)	Description			
Bristlenose Pleco	Amazon, rapid- flowing tributaries	5	Grow to be only around 4 inches long, available in different colours, namely gold and albino. Feels best in aquariums with driftwood and plenty of hiding spots [S. Sharpe, 2022].			
Siamese Algae Eate	Southeast Asia	10	Generally peaceful nature and ability to eat and control a wide range of algae (including the brown algae) makes them an asset to almost any aquarium. Apart from algae, they control flatworm population and eat leftover detritus in the aquarium [R. Woods, 2018].			
Chinese Algae Eater	Thailand, Vietnam, Laos	7-10	The older they get, the more aggressive they become, that is why they should not be kept in community tank. They can reach about 10 inches long, what helps them survive with larger semi-aggressive fish tanks [R. Woods, 2022].			
Otocinclus Catfish	North Argentina, Venezuela	3-5	The smallest species, get up to 1,5 inches maximum. Suitable for community tanks and planted aquariums. They are particularly good at removing brown and green algae [R. Woods, 2019].			

2022/05/15 19:21 11/59 Report

Common name	Origin	Life expectancy (years)	Description
Twig Catfish	Amazon, Orinoco, Paraná	5-15	Accept a variety of foods and quickly clear tanks of any green algae but requires the most care such as high oxygen level and pristine water quality in the aquariums. Because of their shy nature, they should not be kept with other species which can out-compete them for food [NualgiAquarium, 2016].

### 2.3 Algae Farming

Algae is an umbrella term for several organisms that can engage in photosynthesis. The close relationship between these organisms is not immediate, but some factors provide the link and distinguish this group from other life forms [J.A. Raven, M. Giordano, 2018]. They can exist as single, microscopic cells; they can be macroscopic and Multicellular and occur in widely varying sizes. Their habitat can also vary greatly, and they can occur in both freshwater and saltwater [A. Vidyasagar, 2016]. The largest groups of algae can be divided into two subgroups. The macroscopic algae, they are easily visible to the human eye and can again be split into three groups. The green algae (Chlorophyta), the red algae (Rhodophyta), and the brown algae (Phaeophyta). The latter two are mostly found (90%) in salt water as opposed to green algae, which are mainly found in fresh water. The second subgroup contains the microscopic algae, of which most common are the Phytoplankton, Diatoms, Dinoflagellates, Coccolithophorids and Blue-green algae. Algae play an essential role in many ecosystems, providing the foundation for all aquatic food chains supporting fisheries and ecosystems in the oceans and inland waters [M.R. Tredici A.G. Smith, S. Boussiba, 2019].

#### 2.3.1 Large Scale Algae Farm

The growth of algae can be ten times faster than plants growing on land and only require one tenth of the space to generate the same amount of biomass. Algae grow on land that is not profitable or cultivable, so they don't have to compete with other crops. Likewise, algae fertilize more efficiently than land-based crops, as no fresh water is required. Simultaneously, it avoids the intensive water consumption, wasteful fertilizer run-off and downstream eutrophication associated with modern agriculture [J. Kite-Powell, 2018]. Algae farming is a part of algaculture, where algae are cultivated for commercial purposes. The most common types that are currently cultivated on a large scale belong to the group of microscopic algae. Macroscopic algae, such as seaweed, are also cultivated for commercial use, but are more challenging due to their length and the more precise growing conditions. The monoculture is the most usual form of algae cultivation, where the focus is on one type of algae. Pure cultures of one type of algae are the most valuable for commercial purposes and for research. Light, water, and minerals are all important ingredients that produce energy for a healthy algae growth. The temperature of the water in which the algae is grown is also important. Each species of algae has its own, specific temperature range in which it thrives best. At last, there are different techniques to harvest the algae. The most common are flocculation, centrifugation, and micro screening. Flocculation is the most expensive technique and can only be performed by large algae farms. Centrifugation follows and finally micro screening, which requires a minimum of equipment and is therefore the most cost-effective [K. Walker, 2013].

#### 2.3.2 Domestic Algae Farm

The cultivation of algae and the business associated with it is becoming increasingly popular. Nowadays, there are several techniques to bring algae cultivation into your home. The techniques are short, straightforward and don't require a lot of tools. The most basic technique is to fill a container with water. Nutrients and a sample of algae are added, and then the container is placed in the sun. Afterwards, the algae only need to be monitored [K. Gohmann, 2021].

### 2.4 Usage of Algae

As mentioned above, in recent years, algae are being frequently used for various purposes and are being subjected to more experimentation to utilize their multiple benefits. The following projects based on algae are discussed in more detail: biofuels, animal feeds, purifier, human food supplements, green plastic, cosmetics, and fertilisers.

#### 2.4.1 Biofuels

The inevitable shortage of fossil fuels is a major problem of the modern world. For this reason, it is essential to find efficient alternatives [M. Bošnjaković, N. Sinaga, 2020]. The cultivation and processing of algae is a promising option. In this process, the algae are harvested and fermented. However, the costs and the energy required for large scale production are still too high to displace fossil fuels from the market [V.K. Thakur M. Pant D. Agarwal K. Priya S. Pandit P.K. Gupta J. Rawat, V. Pande, 2022].

#### 2.4.2 Animal Feeds

Another use with growing interest is related to the production of animal feed. The traditional production of animal feed is expensive. Therefore, alternative methods are being sought to produce economical and high-quality ingredients to supplement animal feed. Microalgae have a diverse nutrient profile. They contain carbohydrates, essential fatty acids and amino acids, carotenoids and vitamins and are therefore well suited as a supplement. In addition, research has already shown that adding small amounts of microalgae to animal feed can improve growth, health, general animal physiology and product quality and quantity [S. Karasavvidou R.S. Jiménez, L. Marangoni, 20221.

#### 2.4.3 Human Food Supplement

Another end-product for the algae is food supplements for humans. In many Asian countries, microalgae are already used as a feed additive and in other countries such as the United States and the United Kingdom, its use is becoming increasingly popular [Sayadi S. H.A. Jabri M. Cherif A. Aguilar R. Rasheed I. Saadaoui, Manning S.R., 2021]. The alga that is on the market nowadays

2022/05/15 19:21 13/59 Report

is spirulina. It's used as a health product due to its chemical composition, which includes proteins, carbohydrates, essential amino acids, minerals (especially iron), essential fatty acids, vitamins, and pigments. It can improve your energy level, advances physical performance and reduces your diet's carbon footprint [B. Capelli, G.R. . Cysewski, 2010].

#### 2.4.4 Purifier

A higher level of carbon dioxide has an impact on our health, productivity and concentration and can lead to headaches, fatigue and breathing problems. This problem often occurs at poorly ventilated places, like offices, meeting areas, classrooms and other workspaces [Algenair, 2022]. But CO2 is not just a problem on a small scale. It is well known that the earth is facing a major climate change problem: , the complex shifts, driven by greenhouse gas concentrations, that are now affecting our planet's weather and climate systems. This is mostly all due to man's CO2 emissions [C. Nunez, 2019]. This can partially be solved by using the algae as a purifier, on a smaller or larger scale.

#### 2.4.5 Green Plastic

Another problem that humans are facing nowadays is the overuse of plastics, which creates a disposable problem. Alternative materials are being sought to create biodegradable plastic [A. Sreenikethanam, A. Bajhaiya, 2021]. Algae have emerged as a new potential biomass source in this context. These microorganisms, unlike other biomass forms already in use, can be grown on non-agricultural land and have a short harvesting time [S.E. Sterk, 2008].

#### 2.4.6 Cosmetic Industry

The number of alga species used in the cosmetic industry is large and the cosmetic ingredients are very diverse. Different from the food or nutrient supplement, the algae must be extracted or processed. The proteins of the algae supply the skin cells with energy, the mucus substances protect the skin from dehydration and the vitamins activate the skin, protect it against environmental influences. The incorporation of macroalgae-derived ingredients in cosmetics has been growing, as increasingly scientific evidence points to their skin health-promoting effects [B. Sarkar, 2018].

#### 2.4.7 Fertilizer

The concept of using algae as a fertilizer is not new to the market. Brown and red algae are the types that has already long been used by farmers with land close to the sea. This types releases potassium which can help enhance root growth and improve the plants' drought resistance. There is also the blue-green alga which releases this mineral and is used to support the growth of rice crops. Aside from the various nutrients that are beneficial for plants and soil, algae offer other benefits when used as a fertilizer. Algae can also speed up a decomposition process, reduce soil loss during rains and when dried improve soil aeration [J. Ainsworth, 2021].

#### 2.4.8 Interim conclusion algae farm

The mentioned applications have their advantages and disadvantages, which must be weighed against each other. Nevertheless, considering the available budget of 100 €, some algae applications can already be excluded. For the further processing of harvested algae into green plastic, the production of cosmetic products and animal feed, other steps are necessary besides symbiotic cultivation of algae and breeding fishes. These working steps are cost-intensive and require additional equipment which is only profitable in the case of large-scale production. To produce cosmetic articles, e.g., the algae must be extracted [B. Sarkar, 2018] and they need to be moulded for the fabrication of green plastic [U. Cengiz N. Wieczorek M.A. Kucuker Z. Kai Chong S.O. Cinar, K. Kuchta, 2020]. For this reason, these options are not considered further in the following comparisons. The situation is similar with the production of biofuel. To obtain a usable amount of fuel, the algae must be produced on a large scale. But this is neither foreseen for the project nor feasible in terms of the available budget. However, if the production process is used for educational purposes, for example in schools, a small scale can be useful. The comparison of the applications therefore focuses on this process regarding the fuel. Table 3 summarizes examples of the different algae based end-products, and their features, based on the categories mentioned above.

Table 3: Algae end-products

End-Products	Source	Product name	Description &Features	Problems	Price (€)
	David Sieg	Making Algae Biofuel at Home	This book gives the reader an extensive explanation about how to make algae biofuel at home. It includes a step-by-step instruction and price lists for the necessary utensils to create your own farm(https://making-biodiesel-books.com/algae-biofuel-store/algae-biofuels-for-professionals/algae-biofuels-books-for-educators/algae-biofuel-educational-products/).	- the price only includes the book; it is still necessary to buy the utensils.	135
Purifier	AlgenAir	Aerium	Aerium is an indoor purifier that uses algae to clean the surrounding air. It has the goal to improve the air quality indoor. It not only removes carbon dioxide from the air and translates it to oxygen, it also filters out dust, pollen and bacteria. It uses distilled water as an habitat to grow the algae in. The LED ensures continuous photosynthesis.[Algenair, 2022]	- makes noise - algae need to be replaced every 1-2 months - suitable to purify the air for rooms up to 9m2.	249
Human Food Supplements	Canopi	Bloom	growth of the spirulina, the containers can be taken from their stand and the light will automatically go out. [Canopi, 2021]	- algae need to be replaced every 1-2 months	134
Fertilizer	-	liquid seaweed fertilizer	DIY: You can do it simply by yourself if you can obtain algae from the sea. Let it seep in water for a few weeks that it dissolves in water. Simple solution to use overproduced algae sensibly [D. Smyth, 2021]	- Seaweed is often protected - it has a really strong smell	-

# 2.5 Fish & Algae Symbiosis

Fish are known to be ammoniacal animals. This means that they excrete mainly nitrogen in the form of ammonia. Whereas algae only need water, light and nutrients (nitrate) to grow. This principle is better known as aquaponics. Aquaponic is an integrated, often closed-loop, food production system that combines aquaculture (raising fish or aquatic organisms) and hydroponics (growing plants on a nutrient-enriched water bed) in freshwater. It is an energy and cost efficient way to grow plants and vegetables. These systems bring many benefits to the farming system such as using less water, no use of artificial fertiliser/other agricultural fertilisers, good for human health, allows the algae to grow faster as it is continuously produced, it's also energy efficient and can be produced on very small areas. The principle of the process is that bacteria convert fish waste into food for the algae. The algae feed on it and purify the water. Fish waste can be turned into plant food through the process of the "nitrogen cycle": the fish waste contains ammonia (which cannot be absorbed by the fish, as it is

2022/05/15 19:21 15/59 Report

toxic) and the bacteria turn the ammonia into nitrate. Figure 5 displays a illustration of the internal flow in an aquaponic system. Figure 5 displays a illustration of the internal flow in an aquaponic system.




Figure 5: internal flow

#### 2.6 Conclusion

Nowadays, algae are increasingly seen as highly useful sources of energy and nutrients. They are used for a variety of purposes and are of great importance in our journey towards a more ecological world. Algae farms have been around the world and are popping up more and more. They provide a variety of use cases and help to reduce our carbon footprint. At the other end of our in-depth research, we have fish farms. These come in different scales and, like the animal sector, generate a lot of waste. This is where we want to create the solution in the form of a symbiotic system between fish and algae. There are several products on the market that offer an option to process algae and use it for various end products. It is remarkable that there is an increasing demand for a do-it-yourself option or an at-home-experience. This is the additional part of our product. Based on the research of the state of art, it was decided to make a small-scale product for a domestic algae and fish farm. The fish and algae that thrive in freshwater, are brought into a circular system. The processing of the algae is the secondary part of our project that will be incorporated into the circular symbiotic system. Whereby the user could harvest and filter the algae to obtain a food supplement or fertilizer.

# 3. Project Management

# 3.1 Scope

When talking about a scope, we can either refer to a product scope or a project scope. When we talk about the product scope, we are looking at the functions and features that characterize that product

or service. At the other hand is the project scope. Here we are dealing with the activities and steps that must be completed in order to be able to meet the functions and features of the product [Wrike, 2022]. The project scope is part of the project planning process that takes place at the beginning of the project. It documents specific goals, deliverables, features, and budgets. The scope document describes the steps that must be taken in order to successfully complete the project, without additional problems such as a scope creep. With a clear scope, the team can easily stay on track and ensure that all deadlines are followed and met throughout the project lifecycle [Kissflow, 2022]. In Figure 6, the project scope is visualised using a phase based work breakdown structure. This illustrates the relationship between the deliverables and the scope. This WBS consists of two layers, whereby the first layer represents the various phases of the project. Underneath this, we find the second layer that consists of various deliverables associated with that phase [R. Duke, 2022].




Figure 6: WBS structure

#### **3.2 Time**

Time management is about managing the time effort and achieved progress on individual project tasks and activities. For optimal time management in projects, all project activities must be planned, given deadlines, monitored and controlled [R. Duke, 2022]. Gantt charts are most used for project schedules. It simplifies the tracking, reporting and communication of progress. The chart ensures that everyone is on the same page in terms of tasks, dependencies and deadlines. Another advantage is that it helps identifying problems and concerns early on and illustrates the dependencies between tasks. The following Figure 7 contains the Gantt Chart of GREEN.flow project.

2022/05/15 19:21 17/59 Report




Figure 7: Gantt chart Team4

gantt\_chart\_eps\_team4.xlsx

#### **3.3 Cost**

Cost management is an important factor in project management. It helps the organization to create a financial baseline which project managers can use to benchmark the current status of their project costs. According to **[Ecosys, 2022]**, "the definition of cost management is the process of estimating budgeting and controlling costs throughout the project life cycle with the objective of keeping expenditures within the approved budget." The cost management process consist of four main steps.

#### 3.3.1 Project Resource Planning

In order to identify the required resources for a project, a proper resource planning has to be made before starting the project. The Project manager needs to make a Work Breakdown Structure (WBS), as shown in Chapter 3.1. It's his/hers responsibility to ask how many people for each subtask, which skills, equipment and materials are needed to finish the task.

#### 3.3.2 Cost Estimation

In this step, the costs associated with the required resources are quantified. According to EcoSys the

following information is needed for cost estimation:

- Resource requirement (Chapter 7.5)
- Price of each resource (Chapter 7.5)
- Duration that each resource is required
- List of assumptions
- Potential risks (Chapter 7.3)
- Past project costs and industry benchmarks (Chapter 2)
- Insight in the company's financial health

#### 3.3.3 Cost Budgeting

During this step of cost management, the amount of money needed for the project, based on the WBS, are determined. A budget creates a cost baseline and makes sure that there is a clear estimation of the amount of money needed for the project instead of an abstract figure. A project and organizations often rely on expected cash flows. A budged also provides insight to the amount of money already obtained and yet to be obtained. Based on this information, the project manager has to make decisions regarding the order in which the project steps need to be executed.

#### 3.3.4 Cost Control

This step is about taking the right decisions when the budget of the project is not sufficient anymore. Examples of solutions to this problem are rising the budget or decreasing the scope of the project in order to reduce costs. Cost control is an ongoing process throughout the project and one of the most popular approaches is Earned Value Management (EVM). EVM compares the Earned Value (EV), Planned Value (EV) and the Actual Value (AV) to each other at any given time in the project. In order to compare the values the following formulas are used:

- Scheduled Variance = EV PV
- Cost Variance = EV AC

A negative Scheduled Variance means the task is falling behind and a positive Cost Variance means the task is under budget [Ecosys, 2022].

# 3.4 Quality

According to the Corporate Finance Institute (CFI) the definition of quality management is the act of overseeing different tasks within an organization to ensure that offered products and services are consistent. It's important to implement quality management in a company to ensure customer satisfaction. Other benefits lay in a more efficient process and a constant improvement of the product's quality. In order to continually improve the performance of a company, there are seven principles for quality management which are also adopted in the International Standard for Quality Management: customer focus, leadership, engagement of people, process approach, continuous improvement, evidence-based decision making and relationship management.

2022/05/15 19:21 19/59 Report

#### 3.4.1 Customer Focus

The focus of an organization has to be mostly on their customers. The organization must be able to identify current and new needs of their customers in order to improve the loyalty and the satisfaction of the customers.

#### 3.4.2 Leadership

Good leadership is a key component of quality management. When an organization involves employees in setting clear organizational goals and objectives, employees may significantly improve their productivity and loyalty.

#### 3.4.3 Engagement of people

In order to constantly improve the skills of employees, therefore the process of the organization, employees have to feel appreciated. By recognizing achievements and involving the employees in decision making, it makes them feel valued and accountable for their actions. This will make them work to their full potential and therefore optimize the quality management process.

#### 3.4.4 Process approach

The process approach mainly focusses on the process itself. It's goal is to optimize the process in various ways, like reducing costs and waste, while maintaining and improving the products quality.

#### 3.4.5 Continuous improvement

This principle is implemented to make sure that organization comes up with objectives to be actively involved in continuous improvement.

#### 3.4.6 Evidence-based decision making

By making decisions based on verified and analysed data, organizations can establish a cause-andresult effect. It helps them to understand their process and the market they are operating in. By understanding the process deeply, the organization is able to improve it.

#### 3.4.7 Relationship management

An organization should establish a mutual beneficial relationship with their suppliers and retailers. By having a well-managed supply chain, the organization's performance can be optimized. Relationship management is further explained in ( Stakeholder management) [Corporate Finance Institute, 2022].

## 3.5 People

The team consists of very diverse people with different views, perceptions and backgrounds. Collaboration and communication are key. In addition, the project we have started together consists of several parts. It's important to divide these sections among ourselves according to the competencies and interests of the members of the group. With the different origins and fields of expertise, it is easy to find something for everyone that they feel comfortable with. The divided work can be found in Table 4.

Table 4: Responsibility Assignment Table

	Task	Member Involved
01	Global Sprint Plan	Alina
02	Gantt Chart	Farah
03	Research Fish	Thomas, Zuzanna
04	Research Algae	Farah
05	Research Market algae base products	Alina, Farah
06	Research combination Algae&Fish	Zoé
07	State of the Art	Alina, Farah, Thomas, Zoé, Zuzanna
80	Define Direction of Solution	Alina, Farah, Thomas, Zoé, Zuzanna
09	Research Marketing comparison Algae	Farah
10	Research Marketing comparison Fish	Zuzanna
11	WBS Structure	Alina
12	Blackbox Diagram	Thomas
13	Structural Draft	Farah
14	System Schematics	Thomas
15	Structural Drawings	Farah
16	Project management	Alina, Farah, Thomas,Zuzanna
17	Finishing of Introduction & State of the Art	Alina, Farah, Thomas, Zoé, Zuzanna
18	Marketing	Alina, Farah, Thomas, Zoé, Zuzanna
19	Logo, Leaflet & flyer	Farah
20	Name & logo discussion	Alina, Farah, Thomas, Zoé, Zuzanna

### 3.6 Communications

Communication is an essential tool in the field of project management. The success of a project largely depends on the efficiency of its communication network. It starts from day one of the venture and continues throughout the entire life span of the project. It provides regular updates to notify the status of the project as well as its performance capacity [S. Rajkumar, 2010]. Teamwork is very important in this case. We are a group of five different people. From the very beginning, our goal was not only the project, but also good organisation and to become a well-oiled machine. To achieve that,

2022/05/15 19:21 21/59 Report

communication is essential. This can ensure that all team members are always informed. Everyone needs to be involved in the project. The members know what the tasks are, but of course also have a good understanding in order to achieve the desired results. To create and maintain this communication, a communication plan is developed in the initial planning phase. The communication matrix (Table 5) shows the different types of communication that are done depending on the situation. This is linked to specific meetings, the persons involved, the frequency of a certain communication and how much this is needed for the team or the project. The communication shown in this matrix takes the form of meetings between the team members, where the project tasks are discussed, as well as between the team and the supervisors.

WHAT	WHY	WHO	WHEN	HOW
Deliverables	To develop the project	Team members	Before the deadlines	Uploading to Wiki
Brainstorming	To find new solutions	Team members	Before	Online conversation, face-to-face meetings
Sprint planning	To set deadlines and divide new tasks into group members		Weekly	Online conversation, face-to-face meeting
Sprint review	To check the progress	Team members	Weekly	Online conversation, face-to-face meeting
Agenda	To choose topics for meetings with supervisor	Team members	Every Tuesday	Wiki
Weekly team meeting	To share the work that has been done, to divide new tasks into group members, to update the progress of work with supervisors	Team members, supervisors	Every Thursday	Meeting in the classroom
Interim Presentation	To present the current state of the project and receive an opinion from supervisors	Team members, supervisors	21 April 2022	Meeting with supervisors

Table 5: Methods of communication

#### 3.7 Risk

Risk assessment is an important issue that needs to be investigated when we start working on the main topic. It helps to focus on obstacles that can appear during the work as well as problems that could happen caused by the product itself. Finding solutions to these problems before they actually happen, gives opportunities to avoid them in the future. These future risks could be divided into three categories: internal risks, external risks and technical risks. We took into account both, project and product risks. The result of the actions can be found in the Table 6 as well as the evaluation of the probability, the impact of the specific risk and the effect on the whole project. Impact and probability are evaluated from low to high.

Table 6: Risk assessment table

Risk identification	Cause	Effect	Probability	Impact	Strategy	
Internal risk						

Last update:	2022	/05	/15	19.11

Risk identification	Cause	Effect	Probability	Impact	Strategy
Team conflict	Lack of communication	Difficulties while cooperating, delay of work	Medium	low	Mitigate by open discussions, compromise, in extreme case reassigning tasks not to force the parties to directly work together
Lack of skills	Lack of knowledge in a certain field of work	Delay of work	High	medium	Intense research before work, supervisors' help
Team member absence	Sickness, sudden accident	Less productivity, more work for less people	Medium	low	Dividing the work into the rest team members
		<b>External</b> risk	(		
Late delivery of components	Delay on delivery, late ordering of products	Delay of the project	Low	high	Enquire the supplier about product availability and order early, change the component to a similar one available
Fault in production	Manufacturing mistake	Product isn't working properly	High	Low	Test the components at acquisition, ask the manufacturer for refund/ replacement
		Technical ris	k		
Damaged components	Damage made during delivery of the product	Many returns of the product, bad reviews, unsatisfied costumers	Medium	high	Avoid
Bad performance of the final product	Wrong components, mismatched modules	Lower sales, bad reviews, unsatisfied customers	Low	high	Mitigate by intense research and testing

#### 3.8 Procurement

Procurement is a process related to the acquisition of products, materials, goods and services from external sources. Managing these processes ensures that all items and services are properly procured so that projects and processes can run efficiently and successfully [Michigan State University, 2022]. This is an important step for the team, and we have to keep our budget of 100€ in consideration. While looking for these components and materials, we searched for different versions of these items and compared them with each other. The comparison ensures that a clearer picture is created of the prices, quality, sustainability and other parameters of the components. Not only is the focus placed on the price-quality. Attention is also paid to the local providers and which would fit into the framework of our project and product associated with it. The factors that have our main focus when obtaining our components and materials:

• Find a balance between cost and quality

2022/05/15 19:21 23/59 Report

- · Reliable and lawful sources
- Conformity with our components
- Minimize the number of sub suppliers

# 3.9 Stakeholders Management

A stakeholder is either an individual, group or organization who is impacted by the outcome of the project. These can be found in every project. Stakeholders are important to a project because they can have both positive and negative influences on the outcome of it [P. Landau, 2022]. The way in which the relationship between the stakeholders and the project team is organized, monitored and improved is called stakeholder management [Darzin Software Pty Ltd, 2022]. Different stakeholders have different interests and influences on the outcome of the project. It therefore is very important to identify these. The stakeholders, their interests and influences for this EPS project are shown in Table 7.

Stakeholder	Role	Interest (1-5)	Influence (1-5)
Project team	Development	5	5
Supervisors	Providing feedback	5	3
Investors	Providing money	3	4
Suppliers	Providing supplies	1	3
Competitors	Competing	2	2
Costumers	Using the product	4	5

Table 7: Stakeholder analysis table

It can be helpful to visualize stakeholders in an interest/influence graph. In this graph, the stakeholders are divided into 4 quadrants: keep satisfied, manage closely, monitor and keep informed. The meaning of each of these quadrants is elaborated below [Darzin Software Pty Ltd, 2022]:

- **Keep satisfied**: Weekly updates, invitations to certain occasions
- Manage closely: Daily updates, regular invites to exclusive events, personal contact
- **Monitor** : Monthly updates
- **Keep informed**: Weekly updates, invitations to certain events.

The stakeholders for this project, as stated in Table 7, are visualized in Figure 8. These stakeholders should be engaged to the project according to their respective quadrant in order to finalize the project in a productive way.




Figure 8: stakeholder analysis matrix

# 3.10 Sprint Outcomes

As mentioned earlier, the scrum methodology is used in this project, where the sprint planning represents the tasks that should be completed in each sprint. This can be found in Table 8. In addition, in this section we also show how our work was distributed, how we dealt with the different tasks and deadlines and the time it took to complete them (Table 9).

Table 8: Global Sprint Plan

Sprint n°	Start	Finish				
01	10/3/2022	16/3/2022				
02	17/3/2022	23/3/2022				
03	24/3/2022	30/3/2022				
04	31/3/2022	06/4/2022				
05	07/4/2022	14/4/2022				
	Easter Break					
06	19/4/2022	20/4/2022				
07	21/4/2022	28/4/2022				
	Student Week Break					
08	09/5/2022	11/5/2022				
09	12/5/2022	18/5/2022				
10	19/5/2022	25/5/2022				
11	26/5/2022	01/6/2022				
12	02/6/2022	08/6/2022				
13	09/6/2022	15/6/2022				
14	16/6/2022	22/6/2022				

2022/05/15 19:21 25/59 Report

Sprint n°	Start	Finish
15	23/6/2022	30/7/2022

Table 9: Report Structure

Task n°	Task	Estimated Duration (days)	Real Duration (days)	Member Involved
	Sprint Plan n°1	_	-	I
01	Global Sprint Plan	2	1	Alina
02	Gantt Chart	2	1	Farah
03	Research Fish	1	2	Thomas, Zuzanna
04	Research Algae	1	1	Farah
05	Research Market algae base products	3	3	Alina, Farah
06	Research combination Algae&Fish	1	2	Zoé
07	State of the Art	2	1	Alina, Farah, Thomas, Zoé, Zuzanna
	Sprint Plan n°2	17.03.2022 - 23	3.03.2022	
01	Define Direction of Solution	1	1	Alina, Farah, Thomas, Zoé, Zuzanna
02	Research Marketing comparison Algae	3	1	Farah
03	Research Marketing comparison Fish	2	1	Zuzanna
04	State of the Art	2	2	Alina, Farah
05	WBS Structure	1	1	Alina
06	Blackbox Diagram	3	1	Thomas
07	Structural Draft	3	2	Alina, Farah
	Sprint Plan n°3	24.03.2022 - 30	0.03.2022	
01	Blackbox	1	1	Thomas
02	System Diagramms	2	1	Thomas
03	Structural Drafts	2		Farah
04	Project management	1		Alina
05	Marketing	2		Zoé
06	Finishing of Introduction & State of the Art	2		Alina, Farah, Thomas, Zoé, Zuzanna
	Sprint Plan n°4	31.03.2022 - 00	5.04.2022	
01	Structural Diagramms	2	1	Thomas
02	Structural Drawings	3	2	Farah
03	Project management	1	3	Alina, Farah, Thomas, Zoé, Zuzanna
04	Marketing	2		Alina, Farah, Thomas, Zoé, Zuzanna
05	Name & logo discussion	2	1	Alina, Farah, Thomas, Zoé, Zuzanna
06	Leaflet draft	2	2	Farah
	Sprint Plan n°5	07.04.2022 - 14	4.04.2022	
01	Leaflet first draft	2	1	Farah
02	Flyer first draft	1	1	Farah
03	Project Management section report	2	3	Thomas
04	Marketing section report	2	2	Alina

Last	update:	2022	/05	/15	19.11

Task	Estimated Duration (days)	Real Duration (days)	Member Involved
Ethical section report	3	2	Zoé
Project development section	2	1	Alina, Farah, Zoé
Eco-efficiency section report	3	3	Zuzanna
Sprint Plan n°	<b>6</b> 19.04.2022 -	20.04.2022	
Interim Presentation	2	1	Farah
Start 3D model	2	2	Farah
Start Adruino programming	2	2	Alina
cardboard model	1	1	Alina, Zoé, Zuzanna
Rehearsing Presentation	1	1	Alina, Farah, Thomas, Zoé, Zuzanna
Sprint Plan n°	7 21.03.2022 -	28.04.2022	
3D model	3	3	Farah
Adruino programming	2	2	Alina
List of materials	3	3	Alina
3D model video	3	/	Farah
Apply teachers' feedback to report	1	1	Farah, Thomas, Zoé
Project management	1	3	Alina, Farah, Thomas, Zoé, Zuzanna
Refined interim report	2	1	Farah
Sprint Plan n°	<b>8</b> 21.03.2022 -	28.04.2022	:
Improve 3D model	3		Farah
Power budget	2		Alina
3D model video	3		Farah
Marketing section report			
	Project development section  Eco-efficiency section report  Sprint Plan n°c  Interim Presentation  Start 3D model  Start Adruino programming cardboard model  Rehearsing Presentation  Sprint Plan n°c  3D model  Adruino programming List of materials  3D model video  Apply teachers' feedback to report  Project management  Refined interim report  Sprint Plan n°c  Improve 3D model  Power budget  3D model video	Task Duration (days)  Ethical section report 3  Project development section 2  Eco-efficiency section report 3  Sprint Plan n° 6 19.04.2022 - 1  Interim Presentation 2  Start 3D model 2  Start Adruino programming 2  cardboard model 1  Rehearsing Presentation 1  Sprint Plan n° 7 21.03.2022 - 1  3D model 3  Adruino programming 2  List of materials 3  3D model video 3  Apply teachers' feedback to report 1  Project management 1  Refined interim report 2  Sprint Plan n° 8 21.03.2022 - 1  Improve 3D model 3  Power budget 3  Power budget 2  3D model video 3	Task Duration (days) (days)  Ethical section report 3 2  Project development section 2 1  Eco-efficiency section report 3 3 3  Sprint Plan n°6 19.04.2022 - 20.04.2022  Interim Presentation 2 1  Start 3D model 2 2 2  Start Adruino programming 2 2 2  cardboard model 1 1 1  Rehearsing Presentation 1 1 1  Sprint Plan n°7 21.03.2022 - 28.04.2022  3D model 3 3 3  Adruino programming 2 2 2  List of materials 3 3 3  3D model video 3 /  Apply teachers' feedback to report 1 1  Project management 1 3  Refined interim report 2 1  Sprint Plan n°8 21.03.2022 - 28.04.2022  Improve 3D model 3  Power budget 2  3D model video 3

# **3.11 Sprint Evaluations**

Include the summary of all the sprint retrospectives, including any actions implemented as part of the team's continuous improvement strategy.

# 3.12 Conclusion

Provide here the conclusions of this chapter and introduce the next chapter.

# 4. Marketing Plan

2022/05/15 19:21 27/59 Report

#### 4.1 Introduction

The aim of this chapter is to create a complete and significant marketing plan. Its main functions are to identify possible issues, trends, opportunities, and threats. With this information, it will be possible to determine the areas in which time and resources need to be invested to bring our product successfully to the market. To do this, we start by analysing the market and the product idea itself. This is the starting point to develop an efficient strategy and to position ourselves in the market. The planned budget for advertising and marketing is adjusted according to the results of the analysis and a control plan is drawn up to monitor compliance and improvement of the decided aspects. The individual steps are explained further in the corresponding chapters of the marketing plan.

# 4.2 Market Analysis

The marketing plan is a part of the market analysis. In the analysis, various information about the external and internal factors on the product are gathered. The awareness of this information influences and supports the decision-making regarding market strategies. It helps to define the main characteristics of the public needs and to help reduce the risk by gathering information about the potential that our product can have and to better understand where it will stand on the current market. The analysis is divided into three main topics that can be seen in Figure 8:

- Macro-environment
- Micro-environment
- Meso-Environment



Figure 9: Business Environments

#### 4.2.1 Macro-environment

#### 4.2.1.1 PESTLE-Analysis

The Pestle analysis includes all factors that influence the company. By examining these factors, macro-economic developments and their effects on the company can be estimated. For this reason, they serve as a basis for decision-making in strategy development. Each letter of the name of the analysis method stands for a factor that needs to be examined [Professional Academy, 2022].

2022/05/15 19:21 29/59 Report




Figure 10: PESTLE-Model

#### 4.2.1.2 Political

The political factors can include government policy, political stability or instability on overseas markets, foreign trade policy, tax policy, environmental law or trade restrictions. Unstable political

conditions can lead to delivery failures, it's therefore important to inform yourself in advance about the political conditions of the suppliers [Professional Academy, 2022]. As there are no political guidelines or restrictions for the production and sale of the product with the planned function, this aspect has no further influence on the marketing strategy.

#### 4.2.1.3 Economical

An economic factor has a direct impact on the economy and its performance, which in turn directly impacts the organisation and its profitability. The private keeping of fish in an aquarium is a popular use of animals. Combining the system with the production of algae achieves a positive economic effect by using nutrients which were normally wasted. Also the fact, that it leads to the elimination of supply routes and offers more transparency is maybe attractive for potential customers. Additional in times like the Corona crisis, it has become especially popular to grow your own vegetable garden. However, not everyone has a garden or enough space to grow vegetables. The aquaponic system, which is increasingly being used indoors, can be a suitable alternative.

#### 4.2.1.4 Social

This aspect focusses on the social environment and identifying emerging trends. The market for sustainable items and the interest in environmentally conscious actions is growing enormously in times of climate change and environmental pollution. GREEN.flow can satisfy this need. Furthermore, systems such as aquaponics have been widely used to teach about sustainable food production. As the GREEN.flow symbiotic system works in a similar way, it offers the same opportunity. Furthermore, the home compatible design is useful to bring this benefit closer to the private person.

#### 4.2.1.5 Technological

Technological factors consider the rate of innovation and development that could affect a market or industry. Factors could include changes in digital or mobile technology, automation, research and development. The development of the product accounts to the current science regarding algae. Another goal is to make the system as smart and user-friendly as possible. For this purpose, innovative components and the latest products are connected via a platform.

#### 4.2.1.6 Legal

It's important to know which legal framework a company is allowed to operate in. One needs to take into account employment legislation, consumer law, health and safety, international as well as trade regulation and restrictions [Oxford College of Marketing, 2022]. Since the GREEN.flow product is the system for producing algae as a food supplement only and not the food itself, it is not necessary to follow food laws that may contain strict regulations. The remaining aspects also have no influence on the product.

2022/05/15 19:21 31/59 Report

#### 4.2.1.7 Environmental

Environmental factors are those that are influenced by the surrounding environment and the impact of ecological aspects. Factors include climate, recycling procedures, carbon footprint, waste disposal and sustainability. One of the main goals of GREEN.flow is environmental sustainability. On one hand, it's essential to use sustainable or recycled materials on the other hand. To ensure sustainability during the use of the product the contaminated water of the fish tank will be kept within the system and to allow the algae to grow.

#### 4.2.2 Micro-environment

#### 4.2.2.1 7S McKinsey-Modell

The 7S McKinsey model comprises seven different factors. By answering the question of how these elements can be implemented during a project, a basis for efficient working within the team is created **[Consulting Academy, 2021]**. The seven characteristics are listed below.




Figure 11: MCkinsey 7S Framework

#### 4.2.2.2 Strategy - includes the approach to gain a competitive advantage and achieve long-term goals

As already said previously in the report, the team decided that the key factor for successful work is communication. To prevent stagnation during the development process, it's necessary to communicate problems and to exploit the potential knowledge of each team member.

#### 4.2.2.3 Structure - refers to organizational structure

At the beginning of the project work, a sprint plan and WBS were drawn up. The tasks to be accomplished were described and assigned in it. However, the document evolves along with the project. This means that it is constantly revised and updated during the project to prevent possible time bottlenecks.

2022/05/15 19:21 33/59 Report

#### 4.2.2.4 Systems - Refers to the tools, processes and procedures used to achieve the daily objectives

The Microsoft Teams calendar is used to keep track of upcoming milestones and tasks to be completed. To keep it actual it can be edited by every team members. In addition, the file area in the same program is used to make documents accessible to all.

#### 4.2.2.5 Styles

No team leader was appointed at the beginning of the project. In principle, we want to make all important decisions together, but we want to be guided by the member with the most knowledge about the current section we are working on.

#### 4.2.2.6 Staff - the team's core competencies and distinctive capabilities

Considering the preferences and specific domain expertise of the team members regarding the tasks to be done, can keep motivation high. It increases efficiency and contributes to a better working atmosphere. Therefore, during the project, we try to take this into account whenever possible.

#### 4.2.2.7 Skills - refers to the skills and competencies of people who are involved in the project

The starting point is to deploy team members in those areas in which they are strong. If skills and knowledge are missing, we try to inform ourselves about the topic within a reasonable framework or seek help from people with the appropriate knowledge.

#### 4.2.2.8 Shared values - include norms and behavior that are expected from all staff member

We expect all members to treat each other with respect. In our opinion, this includes not only letting people speak out in discussions but also voicing constructive criticism. In addition, we expect agreements to be kept and reliability to ensure optimal planning.

#### 4.2.3 Meso-environment

The meso-environment is the platform between the macro and micro-environment. It shapes the framework of a business or organisation and can be considered as its infrastructure. Suppliers, market demand, distribution and competitors all play a role and need to be examined.

# 4.2.3.1 Suppliers

Last update: 2022/05/15 19:11

The choice of suppliers is particularly important to ensure the quality of the product. It is not only important that the materials have been processed to a high standard, but also that they can be delivered reliably. In our case, however, sustainability and fast delivery are particularly important as well. For this reason, we try to purchase all components from local suppliers in Porto.

#### 4.2.3.2 Demand

We estimate that the main demand for our product will come from private households. These are mainly families or individuals who already have experience with owning aquariums and have green fingers. They may already have their own vegetable garden and are constantly looking to make their lives more sustainable and eco-friendlier. Another interested group could be schools that want to teach their students about sustainable living and algae as a super food or a biofuel.

#### 4.2.3.3 Distribution

For the time being, the distribution of GREEN.flow is only planned via a web shop. However, the aim is to supply partner sales outlets that distribute the product. At the beginning we want to concentrate on the local Portuguese market, but our long term aspiration is to expand into other parts of Europe.

### 4.2.3.4 Competitors

As there are no products with a similar function on the market so far, it is not possible to make a comparison with our product. On the one hand, it is an advantage for us because we can bring something to the market without having direct competition and are therefore the sole provider. On the other hand, however, it could be more difficult to reach the customers and make them familiar with the product if they know only little about it. Therefore, a lot of advertising and promotional activities might be necessary.

# 4.3 SWOT Analysis

A swot analysis represents strengths, weaknesses, opportunities and threats. The first two refer to internal factors, whereas weaknesses and opportunities refer to external factors. This is a framework that maps out the company's competitive position. It shows what your company is good at, in order to base a strategy plan on it. It's needed to keep the analysis accurate to avoid pre-conceived beliefs or grey areas and instead focus on real-life contexts [W. Kenton, 2021]. SWOT analysis is presented in Figure 12.

2022/05/15 19:21 35/59 Report




Figure 12: Product SWOT Analysis

# 4.4 Strategic Objectives

#### 4.4.1 Strategy

- Movement towards transparency is gaining the upper hand
- Growing your own food is particularly popular in times of crisis
- Alternative to destructive agriculture
- → Response to Increased demand for sustainable food substitutes and supplements (statistics)

#### 4.4.2 Problem Statement

### Global Analysis:

- More resources used than the earth can replenish
- Supply chains are becoming increasingly untransparent
- · Use of pesticides

# 4.5 Strategy/Targeting/Positioning/Brand

# 4.6 Adapted Marketing-Mix

# 4.7 Budget

# 4.8 Strategy Control

#### 4.9 Conclusion

Provide here the conclusions of this chapter and introduce the next chapter. Based on this market/economic analysis, the team decided to create <specify the type of product> intended for <specify the market niche> because ... Consequently, the team decided to create a product with <specify the features>.

# 5. Eco-efficiency Measures for Sustainability

#### 5.1 Introduction

Companies all around the world are paying more attention to eco-efficiency of the created products. They indicate more value through technology and process changes whilst reducing usage of resources and environmental impact throughout the product's or service's life. Eco-efficiency applies to all business aspects from purchasing, production and marketing to distribution. The goal is to reduce the amount of resources such as water, energy or material, as well as to generate less pollution, waste during creation, production and usage of the article. It is also important to consider the possibility of recyclability of the product at the end of their useful life. As we talk about sustainability, there are three important aspects that we can divide this subject into: environmental, economic and social sustainability. Together they define the most sustainable outcome possible [H. Srinivas, 2020].

2022/05/15 19:21 37/59 Report




Figure 13: Three Aspects

### 5.2 Environmental

Environmental sustainability creates a responsible way to co-operate with a planet to keep its natural resources and support global ecosystems to ensure well-being of current and future generations. As our project refers to creating your own way to produce algae, it is an example of sustainable food production [M. Evans, 2020].

### 5.3 Economical

Economic aspect is a part of a sustainability which focus on usage and protection of resources in order to create long-term sustainable values by optimal use, recovery and recycling. The concept is used to define and explain how valuable natural resources are today and how they can be in the future [R.M. Löf, 2018].

### 5.4 Social

The last aspect of sustainability is the social one. It is a process of creating a sustainable, successful ecosystem that promotes wellbeing by understanding what people need from the places they live and work in. It combines design of the physical realm with design of the social world. Infrastructure to support social and cultural life, social amenities, systems for citizens' engagement and space to evolve. Consumers want socially sustainable products. They are more engaged, informed and care about the impact of a product they buy. Companies that are more transparent about their supply chains have reaped the benefits from customers, who are willing to spend more for products that are ethical. That is why companies increasingly partner with social sustainability organizations to become more transparent, make their operations or supply chains more ethical and understand the human cost of business [Adec Innovation, 2022].

## 5.5 Life Cycle Analysis

Life Cycle Analysis is a method used for quantifying the impact on environment caused by the process of creating and production of a product. The essence of this method is to focus not only on the assessment of the final result of a given technological process, but also to estimate and assess the consequences of the entire process for the natural environment.



Figure 14: Life Cycle

### 5.6 Conclusion

Provide here the conclusions of this chapter and introduce the next chapter. Based on this sustainability analysis, the team chose <specify here the design, technique(s) material(s), component(s) > for the following environmental reasons...

# 6. Ethical and Deontological Concerns

## 6.1 Introduction

Deontology is referred to as a concept that suggests whether actions are right or wrong according to a clear set of rules. Actions that follow these rules are considered ethical. It's a fundamental reflection of any population in order to establish its standards, limits and duties. Ethics is a philosophical discipline dealing with moral judgements and is therefore a similar concept to morality [Ing, 2011]. The importance of deontology and ethics in everyday life is therefore not negligible. It contributes to

2022/05/15 19:21 39/59 Report

shaping an image of one's market position, contribution, and reliability. If these were neglected, there would be total chaos. As ethical behaviour is of utmost importance when designing a new product, this chapter will cover the different aspects such as (engineering (6.2)), (sales&marketing (6.3)), (environment (6.4)), as well as (responsibility (6.5)).



Figure 15: the most important ethical values

# 6.2 Engineering Ethics

There are many codes of ethics for engineers, and the following duties of the profession have been taken from the Code of Ethics and Deontology of the Portuguese Order of Engineers (OE),[Ordem dos Engenheiros, 2021]. Following this statement, engineers are expected to demonstrate the highest standards of honesty and integrity. Therefore, according to the National Society of Professional Engineers (NSPE), [National Society of Professional Engineers, 2019], in the performance of their professional duties, they will observe the following fundamental canons, rules of practice and professional obligations:

### 6.2.1 Guiding Principles

In the course of their professional activities, engineers shall

- 1. Give priority to the safety, health and welfare of the public.
- 2. Provide services only in areas within their competence.
- 3. Make only objective and truthful statements in public.
- 4. Behave towards each employer or client as an honest representative or agent.
- 5. Avoid fraudulent actions.
- 6. Maintain honourable, judicious, ethical and legal behaviour so as to promote the honour, reputation and usefulness of the profession.

### **6.2.2 Implementing Provisions**

- 1. Engineers shall give priority to the safety, health and welfare of the public.
- 2. An engineer may only provide services in the fields within his competence.
- 3. A professional engineer shall make public statements only of an objective and truthful nature.

- 4. A professional engineer must behave towards each employer or client as an honest representative or agent.
- 5. A professional engineer must avoid any fraudulent action.

## 6.2.3 Professional Obligations

- 1. A professional engineer must observe the highest standards of honesty and integrity in all professional dealings.
- 2. An engineer is encouraged to serve the public interest at all times
- 3. An engineer must avoid any behaviour or activity that might mislead the general public.
- 4. Unless authorized to do so, a professional engineer shall not reveal confidential information relating to the professional activities or technical processes of any client, employer, past or present, or public body on which he or she serves.
- 5. A professional engineer's professional duty must not be subject to the influence of conflicting interests.
- A professional engineer must not use improper or questionable methods or engage in misleading criticism of other engineers in order to obtain employment or to further his or her own career or professional activities.
- 7. An engineer should not attempt to maliciously or falsely damage, directly or indirectly, the reputation, potential projects, professional activities or employment of other engineers. A professional engineer who believes that other professional engineers are guilty of unethical or illegal activities should report such information to the appropriate authorities
- 8. A professional engineer must accept personal responsibility for his or her professional activities, provided, however, that he or she is entitled to claim compensation for services rendered, other than in cases of gross negligence, where the interests of the engineer cannot otherwise be protected.
- 9. An engineer must acknowledge the share of each in the engineering work done and admit the exclusive rights of others.

In short, the purpose of an engineer is to use some knowledge from a wide range of fields to create something new to improve the quality of human life. Mistakes cannot be allowed when it comes to the safety of the users and the devastating consequences they can have. This profession therefore involves great responsibility and takes into account many ethical standards.

# 6.3 Sales and Marketing Ethics

Marketing is at the heart of all businesses and all other functions depend on it to drive the business forward. It is a business function that interacts most with markets. Indeed, markets are made to sell, and they only exist when they sell! In such a scenario, there are inevitably several players, and a clash is inevitable. Sales ethics are a set of behaviours that ensure that every prospect and customer is treated with respect, fairness, honesty and integrity [P. Juneja, 2015]. The result? In the long run, ethical selling behaviour makes sense: it builds buyer loyalty and trust. Better spending customers, more engaged employees and lower business costs. By taking an ethical approach to selling, you are making a clear statement: you want to sell to customers who want to buy from you rather than selling by any means necessary. Nowadays it is very difficult to find a company that promotes and respects ethical values. Often profit, increased sales and being better than the competition are achieved by unethical means. The tendency is to influence the buyer in such a way that he or she is under the

2022/05/15 19:21 41/59 Report

impression that using a particular product will bring many benefits, when in reality the product has no effect. Like other ethical disciplines, marketing ethics is also approached from different angles. There is the virtue perspective, the opportunism perspective, and other perspectives. But as with any other ethics, there is also the difficulty of deciding which agency is responsible for ethical practice. Since there is no single agency responsible for ethics, this gives an individual or a marketing agency the independence to act on its own initiative and be ethical! Unlike other business ethics, marketing ethics is not limited to the field of marketing alone. It influences many aspects of our lives and the development of perceptions in people's minds and the creation of identities, classes and sections in society. The visual communication channels used for marketing sometimes lead to the closure of knowledge, opinions, ideas and beliefs. This creates prejudice in people's minds [Chambre de Commerce Internationale, 2011].

### 6.4 Environmental Ethics

Over the past two centuries, the world's population has exploded from one billion to over 7.7 billion. And unfortunately, resource consumption has increased with them. This behaviour has put increasing pressure on our planet's capacity to sustain life, forcing humans to deal with consequences such as the growing division between rich and poor and various aspects of climate change. The reason for this is that people have forgotten the value and moral status of the environment and its non-human inhabitants. This is the purpose of environmental ethics. It deals with the balance between social economic, and environmental aspects and tries to be more sustainable in all its actions. Environmental ethics is a branch of applied philosophy that studies the conceptual underpinnings of environmental values as well as the more concrete issues surrounding societal attitudes actions, and policies to protect and maintain biodiversity and ecological systems. There are many different environmental ethics, ranging from human-centred views to more nature-centred perspectives. This is easier said than done. The development mindset needs to change, and concerns should start to deliver more value with less environmental impact. They need to disconnect welfare growth from natural resource use and improve economic and ecological efficiency. Therefore, our group is committed to the following:

- We will discuss and consider environmental ethics for the benefit of our living beings, fish, and seaweed.
- Our system must also be pesticide free and nutrient efficient.
- In this project we will also reduce energy consumption, as well the amount of water used.
- In addition, we will use easily recyclable materials such as bio plastic.
- Moreover, we want our different materials, tank, pump, filter to be easily separated by category (glass, plastic, cardboard) for proper recycling.
- At the same time we intend to create recyclable packaging for transport using the right materials, thus avoiding over-packaging and multi-layered materials that are not recyclable.
- We plan to use as many components from local suppliers as possible or second-hand materials.

## 6.5 Liability

In general, liability could be divided into two parts. The first is a duty that companies have to their customers. The team must ensure that all components used in the manufacturing process are of high quality and reliable. The aim is to avoid any kind of incident with the product that could cause harm to the user, which also decreases the company's confidence. In order to avoid such risks, the team must

ensure that all suppliers are legitimate and certified. In addition, customers should receive a user manual explaining how to use the product correctly and safely. The manual should also contain information on what to do and who to contact if the product or part of the product has been broken or become unusable [C. Donovan R. Belani, H. Loo, 2020]. The other part of the responsibility is a professional responsibility towards the requirements and standards that have been issued by the European Union. Errors must not exist in our symbiotic system between our algae and our fish and for this we will base ourselves on the following points.

### 6.5.1 Legal liability

We are committed to creating a product that will obey applicable legal rules. We must consider: copyrights, trademarks, and not infringe on existing patents any of these elements.

## 6.5.2 Criminal liability

Liability that arises from the violation of a law or the commission of a criminal act. Public liability insurance does not cover criminal liability.

## 6.5.3 Professional liability

In this case it is highly preferable to follow the engineers' code of ethics. A company is liable if its product causes physical or emotional harm to a person. Businesses are also liable for injuries on their property and for any damage resulting from actions taken on behalf of the business. There is a specific type of product liability, called strict liability, which describes who (among manufacturers, contractors, suppliers and retailers) is specifically is liable in cases of defective products [S.E. Sterk, 2008].

### 6.6 Conclusion

At the end of this chapter, we have been able to deal with the different ethical issues in a more precise way, we now have a better understanding of the problems that arise during product development. As engineers, we have obligations to fulfil within the framework of the code of ethics established in Portugal. In the area of marketing, we now know that our advertising must be clear and must not infringe on the competition. In the area of environmental ethics, we must make a product that respects the environment by reducing the environmental impact. And finally, we must not forget that our product must meet certain European standards. We are committed to all the above issues and will always try to find more ethical solutions using the "trust model" as often as necessary. Based on this analysis we have been able to establish the rules of our ethical project, we can now start the design of our prototype, the development of our project which will be discussed in the next chapter.

2022/05/15 19:21 43/59 Report

# 7. Project Development

### 7.1 Introduction

This chapter presents the development of the GRN flow. It shows the whole process, starting with rough sketches and ideas and ending with a fully defined solution. The chapter consists of six different parts. Ideation is the first section that defines and connects the different components that make up the product. It discusses the black box and the corresponding product ideas that are generated. The second part is Concept. This shows the complete idea of the product and what is involved: elements, requirements, concerns and regulations. Structural Design is the third subchapter. In this section, the idea is put into shape. With sketches and a 3D model, the product and the materials that go along with it are shown. After Structural Design comes System Design. Whereas Structural Design focuses more on the design and the appearance of the product, System Design focuses on the components. How they are connected and interact with each other. As the real product is too big to make under these circumstances, a prototype is chosen. In this part, the process of the prototype is shown. Next comes Tests and Results, where the created prototype is tested and the results are shown. Finally, there is the conclusion. This summarises the main relevant points of this whole procedure.

### 7.2 Ideation

### 7.2.1 Black Box

In order to better identify the parts that would be connected, this is represented in the form of a black box. Figure 16 schematically shows all inputs and outputs of a system without paying too much attention to the internal working of the system. It shows the electrical pump and the lamp are controlled by the processor by putting it off and on. Depending on the type of lamp and pump that is used, the ideal light intensity and pump flow rate settings have to be researched in order to optimize the system. It is, however, not clear if this option is possible to investigate due to the type of pump and lamp that have to be selected yet.




Figure 16: Black Box Diagram

### 7.2.2 Structural Sketches

Since a home kit has been chosen, the design of the product is certainly also a key point. Figure 17, 18 shows some sketches of ideas about the product. Especially on how the algae and fish tank could be placed in relation to each other. In addition, there are also form variations presented.

2022/05/15 19:21 45/59 Report




Figure 17: Sketches




Figure 18: sketches

# 7.3 Concept

# 7.3.1 Logo

The logo is part of the product's branding and is an important factor. It not only grabs the attention but can be memorable, distinguishes you from your competitors, reflects a part of the image and

forms the basis of your brand identity [A. Westgarth, 2018]. The logo and the name of GREEN.flow represent what the product stands for and what this can mean for the user. The GREEN.flow logo (Figure 14) consists of three main elements. These three elements represent what our product aims to achieve; a symbiosis between two organisms that can lead to a circular system. The circle representing the fish and algae shows the symbiosis and the small-scale circular ecosystem that is the main purpose of our product system. This aim is not only represented by the logo, but also by the name. Our product works with a water circulation that is beneficial for both organisms. This is done by means of a current that runs through both systems, creating a flow between the two tanks. The 'GREEN' indicates the focus that we try to put on our project. Whereby not only the production is done as ecologically as possible, but whereby the aim is also to provide the user with an ecological mindset.



Figure 19: Logo & Name [Pantone, 2022]

## 7.3.2 Target group

It was decided to focus on the home use of the product. This by users who have the space and time to immerse themselves in a slow-moving but long-lasting project. Our users are people who have green fingers and like to occupy themselves with nature in various new forms. The target group that this product is designed for, would like to bring a new view on the world and contribute to the path towards a green society. The chosen target group meets the following characteristics:

- Age 25-70
- Located in Europe
- Ready to look for ecological alternatives to a traditional way of life
- Interest in sustainability
- Interest in cooking and experimenting with ingredients

2022/05/15 19:21 47/59 Report



# THE TARGET GROUP



Figure 20: Target Group

### 7.3.3 Elements

As discussed above, the algae and the fish are the two main factors in our product. Our product connects these two organisms and creates an advantageous situation for both. The system between these two aquariums in which the nutrients in the water serve as nutrients and the water is purified at the same time is the main function. In addition, the algae can be harvested for home use and can be processed by the user in various ways. The latter is the secondary function of the product.

- An aquarium for the fish
- An aquarium for the algae
- Sensors and elements to ensure a good environment for the growth of algae and fish
- A tube to allow the water to flow from one tank to another
- An efficient filter to harvest the algae
- A control panel that can control all the sensors
- An app or website that allows you to control the sensors remotely and that provides notifications in case of unusual situations

## 7.4 Structural Design

In Figure 20 the first version of the GREEN.flow can be seen.




Figure 21: Structural Design Proposition

# 7.5 System Design

### 7.5.1 Choice of Components

## 7.5.1.1 Microprocessor development board

The ease of use of the GREEN.flow is one of the most important features of the product. To ensure this, it is necessary to make the handling as simple and compact as possible. The aim is therefore to be able to control functions such as the detection of water leakage from the tank, the regulation of the light and the operation of the pump via an app. The heart of this process is the microcontroller developer board. The manufacturers of the Arduino and Raspberry Pi products are probably the best-known providers. But since Arduino has published the functionality of its boards, there are many replicas on the market that offer similar functions and are often cheaper. The Table 10 shows a comparison of different developer boards.

Table 10: Microprocessor development board

2022/05/15 19:21 49/59 Report

Name	Wireless Connection	Dimensions	Other Characteristics	Price [€]	Photo
Arduino Nano Every	None	18 mm x 45 mm; 5 gramm	USB connector (Mircro USB)/ Pins (Built-in LED Pin: 13, Digital I/O Pins: 14, Analog input pins: 8, PWM pins: 5)/ Communication (UART: RX/TX, 12C: A4(SDA), A5 (SCL), SPI: D11 (COPI), D12)/ POWER (I/O Voltage: 5V, Input Voltage (Norminal): 7-18 V, DC Current per I/O, Pin: 15 mA)/ Clockspeed/ Processor (ATMega4809, 16 MHz)/ Memory (ATmega328P: 6 kB SRAM, 48 kB flash 256 byte EEPROM)	11.00	
Arduino Nano 33 IoT	Wi-Fi, Bluetooth	18 mm x 45 mm; 5 gramm	USB connector: Mircro USB/ Pins (Built-in LED, Pin: 13, Digital I/O Pins: 14, Analog input pins: 8, PWM pins: 5, External interrupts: All digital pins)/ Communication (UART: RX/TX; 12C: A4(SDA), A5 (SCL); SPI: D11 (COPI), D12)/ POWER (I/O Voltage: 3.3V; Input Voltage (Norminal): 5-18 V; DC Current per I/O Pin: 7 mA)/ Clock speed (Processor: SAMC21G18A, 8 MHz)/ Memory( SAMC21G18A: 256 kB SRAM, 1 MB flash)	18.80	
Raspberry Pi pico RP2040 + Adafruit AirLift-ESP32 Wi-Fi Co- Processor	Wi-Fi	21 mm x 51 mm	Dual-core Arm Cortex-M0+ processor, flexible clock running up to 133 MHz/ 264 kB on-chip SRAM/ 2 MB on-board QSPI Flash/ 26 multifunction GPIO pins, including 3 analogue inputs/ 2 × UART, 2 × SPI controllers, 2 × I2C controllers, 16 × PWM channels/ 1 × USB 1.1 controller and PHY, with host and device support/ 8 × Programmable I/O (PIO) state machines for custom peripheral support/ Supported input power 1.8–5.5 V DC/ Operating temperature -20 °C to +85 °C/ Castellated module allows soldering direct to carrier boards/ Drag-and-drop programming using mass storage over USB/ Low-power sleep and dormant modes/ Accurate on-chip clock/ Temperature sensor: Accelerated integer and floating-point libraries on-chip	7.99; 12.23	

Name	Wireless Connection	Dimensions	Other Characteristics	Price [€]	Photo
ESP32 AZDelivery	Wi-Fi, Bluetooth	28 mm x 56 mm	USB connector: Mircro USB/ Pins: 38/ POWER (I/O Voltage: 3.3 V; Input Voltage (Norminal): 5-18 V; Current per I/O Pin: 15 mA); Average working current: 80 mA)/ Memory (520 kB SRAM, 4 MB flash)	9.99	

In terms of cost consideration and the Wi-Fi connection function required for the app, the ESP32 AZDelivery developer board was chosen.

#### 7.5.1.2 Breadboard

A breadboard is needed to connect the electronic devices with each other. A solution was chosen that has the right size of 400 contacts and has an affordable prize.

Table 11: Breadboard

Name	Characteristics	Price [€]	Photo	
Breadboard Plugboard Mini	for Arduino /Raspberry usage/ 400 contacts	0.64	TECHNISHOP	

### 7.5.1.3 Water Leak Sensor

Measuring the water level is not only necessary to detect possible leaks in the water tank or the pipe system, to prevent flooding and to protect the surrounding electronic devices, but also to ensure the survival of the fish. There are already many smart products on the market that can be operated via an app. For choosing the right product for the application in the project, it is therefore important to consider whether it makes more sense to control the water leak sensor via the microcontroller or to provide the user a second, already developed app.

Table 12: Water Leak Sensor

Name	Characteristics	Price [€]	Photo
WAVGAT Water leak sensor	for Arduino/Raspberry Pi usage/ Operating voltage: DC3-5 V/ Operating current: less than 20 mA/ Sensor Type: Analog/ Detection Area: 40 mmx16 mm/ Production process: FR4 double-sided HASL/ Operating temperature:10 °C-30 °C/ Humidity: 10 % - 90 % non-condensing/ Product Dimensions: 62 mm x20 mm x8 mm	1.18	•

2022/05/15 19:21 51/59 Report

Name	Characteristics	Price [€]	Photo
Tuya Smart Leakage Alarm	works with amazon alexa / google assistant	27.40	
Water level alarm	power supply: 3 x LR44/ 70 mm x 50 mm x 20 mm/ attachment with suction cups/ no Wi-Fi/Bluetooth connection	10.99	
Water Level Sensor - Normaly Open	switching current: 1.0A DC max./ switching power: 10 VA max./ contact resistance: 150 m ohm max./ contact material: rhodium/ operating/release time: 0.6 ms/0.1 ms max./ max. voltage: 100 VDC/ breakdown voltage: 250 VDC/ operating temperature: 0 to +70 °C/ materials: polyamide, polypropylene foam and rubber/ length of lead wire: 70 mm	6.27	(ROSO) (AS

The decision regarding the water leak sensor was made in favour of the WAVGAT Water Leak Sensor. This sensor is unbeatable in its price. Another decisive factor was that the sensor can transmit the data it detects to the microcontroller. Since we decided to combine all controllable functions within one app, we were able to exclude products that are not connectable with the rest of the system.

### 7.5.1.4 Lamp

For space and energy saving reasons, it is planned to supply the algae and the fish with the same light source. For this reason, the choice of lamp has fallen on Amatslite Super Slim LED Type 2. The mounting on the rim is not dependent on the size of the tank, so the lamp can be mounted in a way that both tanks are illuminated.

Table 13: Lamp

Name	Characteristics	Price [€]	Photo
Amatslite Super Slim LED	Type 1 (Tank Size: 15-30 cm, Power: 5 W, Lumen: 6091 m)/ Type 2(Tank Size: 30-60 cm, Power: 10 W, Lumen: 12001 m)	Type 1: 8.16/ Type 2: 10.62	
Clip-on Fish LED Lamp A400	Power: 11 W, Tank Size: 40 - 50 cm, Adjustable holde	11.76	A400 4 Rows  But 5 White 220 93-Pug

### **7.5.1.5 Water pump**

GREEN.flow is a closed system in which water must be led from the fish tank into the algae boxes. To realise this, a pump is needed. Since neither large distance must be covered nor large amounts of

water have to be pumped at the same time, a model was chosen that fits into the budget of the project and can be controlled with the microcontroller.

Table 14: Water pump

Name	Characteristics	Price [€]	Photo
12 DC Dosing Pump	Engine SPEED: 5000RPM/ Volts: DC 12 V/ Current: 80 mA/ Relative humidity <80 %/ Temperature: 0-40 °C/ Flow rate: 0-100 mL/min/ Rotate speed: 0.1-100 rpm/ Stick Size ( $\Phi$ x H): Diameter 27.6 x height 37.9 (mm)/ Head size ( $\Phi$ x H): diameter 31.7 x height 20.1 (mm)/ Equipped with pump tube (ID x OD): 2.5 x outer diameter of the inner diameter of 4.7 (mm)/ Weight: 89 g/ Horizontal head: 25 m, pump suction: 2-3 m (test with water)/ Direction: you can connect the flow direction through the positive and negative	3.33	

### 7.5.1.6 Fish Feeding System

The feeding system is a component that greatly simplifies the handling of the GREEN.flow. It allows the user to leave the aquarium alone for a few days and takes away the worry about possibly forgetting to feed. It also ensures a constant amount of food, so that neither too much nor too little food enters the aquarium.

Table 15: Feeding System

Name	Characteristics	Price [€]	Photo
Smart aquarium mini automatic fish feeder AF-2019B 200 ml	Battery: 2x AA/ Capacity: 200 ml/ Feeding times/Day: 4/ Function: LCD screen	18.91	TH-

### 7.5.1.7 Fish Tank

For the choice of our fish tanks, we finally chose to go for a plastic aquarium without a lid to reduce its price and its use. In addition, we will use a transparent plastic and a good size tank for the comfort of our fish. This kind of container is quite easy to find, and we don't have many requirements. So, we will look for this tank in local shops in Porto.

Table 16: Fish Tank

Name	Characteristics	Price [€]	Photo
Prosperplast Recipient in plastic	You can just use a large transparent plastic container without a lid	5	AS .

2022/05/15 19:21 53/59 Report

Name	Characteristics	Price [€]	Photo
	inexpensive with many different sizes/ Ex: Medium 2,5 L/ 23,2 cm x 15,3 cm x 16,6 cm	7-25	

#### 7.5.1.8 Algae Tank

For the algae tanks we looked at several possibilities. Either simple tanks of smaller size than for the fish, or water bottles that we can customise. In the end, we decided to go with water bottles as this is the most economical, easiest to find and easiest to transform. Our goal is to cut the bottles, to use filters at the ends of the bottle to filter the water to purify the algae and to reuse it in the fish tank. Opening the bottle cap will allow us to do this. This principle allows us to reuse our own water bottles, not to buy anything extra and to take into consideration the environmental problems.

Table 17: Algae Tank

Name	Characteristics	Price [€]	Photo
Tank plastic	For the algae tank you can use different transparent plastic, preferably PET. Afterwards you can also decide on the number of tanks and the size./6L, 25.3 cm x 15.8 cm x 15.5 cm	5.62	
Bottle of water	A lot of big water bottles, which we can transform to our liking.	0.20	

### 7.5.1.9 Pipes

We need a pipe, to bring the fish excrement into each algae tank as nutrients. But also, to return the purified water from the algae into the fish tank. For this purpose, we decided to use a silicone tube, which is wide enough to allow water to pass through and long enough to be cut to size. This way the price of the whole pipe will be cheaper.

Table 18: air pipes

Name	Characteristics	Price [€]	Photo
Air pump tube	PIPES 4-6 mm/ 244 cm/ AMTRA, transparent silicone	1.03	Ar ports

### 7.5.1.10 Sieve for algae harvest

For the choice of sieves, we looked for different sizes and shapes in order to choose the best compromise. After discussion we decided to use a sieve with very fine holes so that the algae could not pass between the holes. We will take the sieves in the form of paper or fabric so that we can model their shapes in our algae and fish tanks. For the choice of shops, it is important to find inexpensive materials, locally in Porto or on second hand sites to be cost conscious and to keep our values eco responsible.

Table 19: Filter systems

Name	Characteristics	Price [€]	Photo
Harris 24cm Filter papers		Depend of the number 2-10	24cm FILTER PAPERS FOR WINDAMSON, WITH A DEPTING MARKEN, A COTHER THAN A COTHER A COTHER THAN A COTHER
WEAVERBIRD Aquarium	Inflow Inlet Filter 12 mm	6	O
Strainer Fine Mesh	Pcs Ultra-fine Mesh	8	

### 7.5.2 Detailed Schematics

Figure 22 shows the first draft for a system diagram for the Green.flow system. It shows how every component is enclosed by manually operated valves in order to replace it or to do maintenance. Figure 22 also shows an agitator in algae tank 1. Only one agitator is installed in the prototype in order to research whether an agitator is needed or not. Every tank has its own drain to let water out of the tank without draining the whole system. Both the inlet and outlet pipe to the algae tanks contain a filter in order to keep fish faeces in the fish tank and the algae in the algae tank. For the product phase the valves may be upgraded to automatic valves, controlled by the leak sensor, to close off the fish tank to keep it from drying out in case of a leakage.

2022/05/15 19:21 55/59 Report




Figure 22: System Schematics Proposition

### 7.5.3 Simulation

# 7.6 Prototype

## 7.7 Test & Results

## 7.8 Conclusion

Provide here the conclusions of this chapter and introduce the next chapter.

# 8. Conclusions

## 8.1 Discussion

Provide here what was achieved (related with the initial objectives) and what is missing (related with the initial objectives) of the project.

## **8.2 Future Development**

Provide here your recommendations for future work. ===== Bibliography ====== Will be added automatically by citing, in the body of the report, entries specified in BibTeX format and stored in the http://www.epswiki.dee.isep.ipp.pt/doku.php?id=refnotes:bib file PS - If you have doubts on how to make citations, create captions, insert formulas, etc. visit this page with examples and select "Show pagesource" to see the source code.

- [T. Nace, 2017], [T. Nace, 2017] T. Nace, 2017. Humanity Has Officially Consumed More Than Earth Can Produce This Year. [Accessed in March 2022].
- **[B. Shields, 2017]**, **[B. Shields, 2017]** B. Shields, 2017. *Fish farming pros & cons.* [Accessed in March 2022].
- [B., Henkelmann M. Freitas Rebelo O. Malm J.P. Machado Torres D. Botaro, K.W. Schramm, 2011], [B., Henkelmann M. Freitas Rebelo O. Malm J.P. Machado Torres D. Botaro, K.W. Schramm, 2011] B., Henkelmann M. Freitas Rebelo O. Malm J.P. Machado Torres D. Botaro, K.W. Schramm, 2011. Organochlorine pesticides residues in feed and muscle of farmed Nile tilapia from Brazilian fish farms. Food and Chemical Toxicology, 49, ISSN 0278-6915.
- [M. Sanden F. Yadetie O.A. Karlsen A. Goksøyr M.H.G. Berntssen A.K. Larsen P.A. Olsvik, T. Kristensen, 2019], [M. Sanden F. Yadetie O.A. Karlsen A. Goksøyr M.H.G. Berntssen A.K. Larsen P.A. Olsvik, T. Kristensen, 2019] M. Sanden F. Yadetie O.A. Karlsen A. Goksøyr M.H.G. Berntssen A.K. Larsen P.A. Olsvik, T. Kristensen, 2019. Effects of Agricultural Pesticides in Aquafeeds on Wild Fish Feeding on Leftover Pellets Near Fish Farms. Frontiers in Genetics, 10, ISSN 1664-8021.
- [Y. Li F. Vernen M. Timmins D. K. Lim T. C. Adarme-Vega, P.M. Schenk, 2012], [Y. Li F. Vernen M. Timmins D. K. Lim T. C. Adarme-Vega, P.M. Schenk, 2012] Y. Li F. Vernen M. Timmins D. K. Lim T. C. Adarme-Vega, P.M. Schenk, 2012. Microalgal biofactories: a promising approach towards sustainable omega-3 fatty acid production. *Microbial cell factories*, 11, ISSN 2283-0315.
- [John R. Meyer, 2013] John R. Meyer, 2013. Symbiosis. [Accessed in March 2022].
- [J. Bascompte, 2019] J. Bascompte, 2019. Mutualism and biodiversity. Current Biolog, 29, pp.467 470, ISSN 0960-9822.
- [Paul J. K. Yin, P.J. Harrison, 2014] Paul J. K. Yin, P.J. Harrison, 2014. Risk analysis of coastal aquaculture: potential effects on algal blooms. *CASE STUDY 6.6*, ISSN 1020-4873.
- **[P.A. Piana A. Gentelini B. Coldebella, P.F. Coldebella, 2017]** P.A. Piana A. Gentelini B. Coldebella, P.F. Coldebella, 2017. Effluents from Fish Farming Ponds: A View from the Perspective of Its Main Components. *Sustainability*, 10.
- **[K. Claussen, 2021]** K. Claussen, 2021. *How to Remove Algae from a Fish Tank.* [Accessed in March 2022].
- [S. Sharpe, 2020] S. Sharpe, 2020. How to Control Aquarium Algae: Causes and Cures for Filmy

2022/05/15 19:21 57/59 Report

- Residue on Tank Glass, Rocks. [Accessed in March 2022].
- [S. Sharpe, 2022] S. Sharpe, 2022. Bristlenose Pleco Fish Species Profile. [Accessed in March 2022].
- [R. Woods, 2018] R. Woods, 2018. Siamese Algae Eater: Care, Size, Tank Mates, and Habitat. [Accessed in March 2022].
- [R. Woods, 2022] R. Woods, 2022. *Chinese Algae Eater Care Guide & Species Profile.* [Accessed in March 2022].
- [R. Woods, 2019] R. Woods, 2019. *Otocinclus: Oto Catfish Care Guide & Species Profile.* [Accessed in March 2022].
- [NualgiAquarium, 2016] NualgiAquarium, 2016. Otocinclus: Oto Catfish Care Guide & Species Profile. [Accessed in March 2022].
- **[J.A. Raven, M. Giordano, 2018]** J.A. Raven, M. Giordano, 2018. The Perspective of Large-Scale Production of Algae Biodiesel. *Applied Sciences*, 24.
- [A. Vidyasagar, 2016] A. Vidyasagar, 2016. How to Control Aquarium Algae: Causes and Cures for Filmy Residue on Tank Glass, Rocks. [Accessed in March 2022].
- [M.R. Tredici A.G. Smith, S. Boussiba, 2019] M.R. Tredici A.G. Smith, S. Boussiba, 2019. The Perspective of Large-Scale Production of Algae Biodiesel. *Position Paper*.
- **[J. Kite-Powell, 2018]** J. Kite-Powell, 2018. *See How Algae Could Change Our World.* [Accessed in March 2022].
- [K. Walker, 2013] K. Walker, 2013. What are Algae Farms?. [Accessed in March 2022].
- [K. Gohmann, 2021] K. Gohmann, 2021. What are Algae Farms?. [Accessed in March 2022].
- [M. Bošnjaković, N. Sinaga, 2020] M. Bošnjaković, N. Sinaga, 2020. The Perspective of Large-Scale Production of Algae Biodiesel. *Applied Sciences*, 10, ISSN 2076-3417.
- [V.K. Thakur M. Pant D. Agarwal K. Priya S. Pandit P.K. Gupta J. Rawat, V. Pande, 2022] V.K. Thakur M. Pant D. Agarwal K. Priya S. Pandit P.K. Gupta J. Rawat, V. Pande, 2022. Latest Expansions in Lipid Enhancement of Microalgae for Biodiesel Production: An Update. *Energie*, 15, ISSN 1996-1073.
- **[S. Karasavvidou R.S. Jiménez, L. Marangoni, 2022]** S. Karasavvidou R.S. Jiménez, L. Marangoni, 2022. *Kick-off Meeting Algae & Climate.* [Accessed in March 2022].
- [Sayadi S. H.A. Jabri M. Cherif A. Aguilar R. Rasheed I. Saadaoui, Manning S.R., 2021] Sayadi S. H.A. Jabri M. Cherif A. Aguilar R. Rasheed I. Saadaoui, Manning S.R., 2021. Microalgal-based feed: promising alternative feedstocks for livestock and poultry production. *Animal Sci Biotechnol*, 12, ISSN 2049-1891.
- **[B. Capelli, G.R. . Cysewski, 2010]** B. Capelli, G.R. . Cysewski, 2010. Potential health benefits of spirulina microalgae. *Nutrafoods*, 9.
- [Algenair, 2022], [Algenair, 2022] Algenair, 2022. The aerium. [Accessed in March 2022].
- [C. Nunez, 2019] C. Nunez, 2019. Carbon dioxide levels are at a record high. Here's what you need to know. [Accessed in March 2022].
- [A. Sreenikethanam, A. Bajhaiya, 2021] A. Sreenikethanam, A. Bajhaiya, 2021. Algae Based Bio-Plastics: Future of Green Economy. *Biorefineries*.
- **[S.E. Sterk, 2008]**, **[S.E. Sterk, 2008]** S.E. Sterk, 2008. Property Rules, Liability Rules, and Uncerty Rules, Liability Rules, and Uncertainty about Property Rights. *Environmental Science and Ecotechnology*, 106.
- [B. Sarkar, 2018], [B. Sarkar, 2018] B. Sarkar, 2018. *Algae Cosmetics*. [Accessed in March 2022]. [J. Ainsworth, 2021] J. Ainsworth, 2021. *The Benefits of Algae as a Fertilizer*. [Accessed in March 2022].
- [U. Cengiz N. Wieczorek M.A. Kucuker Z. Kai Chong S.O. Cinar, K. Kuchta, 2020] U. Cengiz N. Wieczorek M.A. Kucuker Z. Kai Chong S.O. Cinar, K. Kuchta, 2020. Bioplastic Production from Microalgae: A Review. *Environmental Research and Public Health*, 17, ISSN 1660-4601.
- [Canopi, 2021] Canopi, 2021. *Bloom: Supercharge your health with home-grown spirulina.* [Accessed in March 2022].
- [D. Smyth, 2021] D. Smyth, 2021. Homemade Seaweed Fertilizer. [Accessed in March 2022].

[Wrike, 2022] Wrike, 2022. What Is Scope in Project Management?. [Accessed in March 2022]. [Kissflow, 2022] Kissflow, 2022. What is Project Scope Management and Why is it Important?. [Accessed in March 2022].

[R. Duke, 2022], [R. Duke, 2022] R. Duke, 2022. What is a Work Breakdown Structure?. [Accessed in March 2022].

[Ecosys, 2022], [Ecosys, 2022] Ecosys, 2022. *Project Cost Management: Steps, Basics and Benefits.* [Accessed in March 2022].

**[Corporate Finance Institute, 2022]** Corporate Finance Institute, 2022. *Quality Management: The act of overseeing different activities and tasks within an organization to ensure consistent delivery of products and services.* [Accessed in March 2022].

**[S. Rajkumar, 2010]** S. Rajkumar, 2010. Art of communication in project management. *Communications Management*, 24.

[Michigan State University, 2022] Michigan State University, 2022. Quality Management: The act of overseeing different activities and tasks within an organization to ensure consistent delivery of products and services. [Accessed in March 2022].

[P. Landau, 2022] P. Landau, 2022. What Is a Stakeholder? Definitions, Types & Examples. [Accessed in March 2022].

[Darzin Software Pty Ltd, 2022], [Darzin Software Pty Ltd, 2022] Darzin Software Pty Ltd, 2022. Quality Management: The act of overseeing different activities and tasks within an organization to ensure consistent delivery of products and services. [Accessed in March 2022].

[Professional Academy, 2022], [Professional Academy, 2022] Professional Academy, 2022. Marketing Theories – PESTEL Analysis. [Accessed in March 2022].

[Oxford College of Marketing, 2022] Oxford College of Marketing, 2022. What is a PESTEL analysis?. [Accessed in March 2022].

[Consulting Academy, 2021] Consulting Academy, 2021. The McKinsey 7S Model Explained With a Practical Example. [Accessed in March 2022].

[W. Kenton, 2021] W. Kenton, 2021. Strength, Weakness, Opportunity, and Threat (SWOT) Analysis. [Accessed in March 2022].

[H. Srinivas, 2020] H. Srinivas, 2020. Eco-efficiency. [Accessed in March 2022].

[M. Evans, 2020] M. Evans, 2020. What Is Environmental Sustainability?. [Accessed in March 2022].

[R.M. Löf, 2018] R.M. Löf, 2018. Economic sustainability. [Accessed in March 2022].

[Adec Innovation, 2022] Adec Innovation, 2022. What is Social Sustainability?. [Accessed in March 2022].

[Ing, 2011] Ing, 2011. Éthique et normes sociales. [Accessed in March 2022].

[Ordem dos Engenheiros, 2021] Ordem dos Engenheiros, 2021. Engineers Order - Ordem dos Engenheiros. [Accessed in March 2022].

[National Society of Professional Engineers, 2019] National Society of Professional Engineers, 2019. NSPE Code of Ethics for Engineers. [Accessed in March 2022].

[P. Juneja, 2015] P. Juneja, 2015. Ethics in Sales and Marketing. [Accessed in March 2022].

[Chambre de Commerce Internationale, 2011] Chambre de Commerce Internationale, 2011. Code ICC consolidé. [Accessed in March 2022].

[C. Donovan R. Belani, H. Loo, 2020] C. Donovan R. Belani, H. Loo, 2020. *The economic and ethical foundations of liability law.* [Accessed in March 2022].

[A. Westgarth, 2018] A. Westgarth, 2018. *The Importance Of Having The Right Logo*. [Accessed in March 2022].

[Pantone, 2022] Pantone, 2022. Color Picker. [Accessed in March 2022].

2022/05/15 19:21 59/59 Report

From:

https://www.eps2022-wiki4.dee.isep.ipp.pt/ - EPS@ISEP

Permanent link:

https://www.eps2022-wiki4.dee.isep.ipp.pt/doku.php?id=report

Last update: 2022/05/15 19:11

